



family
GOLDEN FISH®
20X3

Specialists in fishing lines

www.goldenocana.com



family
GOLDEN FISH®
20X3

Nuestra "GOLDEN FISH® family 20X3" está compuesta por más de 50 clases de hilos agrupadas en 9 categorías según su composición y utilidad. Más de 1.400 referencias en catálogo, adaptando así nuestros productos a todas las necesidades de los pescadores respecto a los hilos de pesca.

Our "GOLDEN FISH® family 20X3" consists of more than 50 types of fishing lines grouped into 9 categories according to their composition and utility. More than 1400 references in catalog, adapting our products to all the needs of fishermen regarding to fishing lines.

E.N. Ocaña, S.L.

PO BOX 58 / Apto. Correos 58
PostCode: 36940 / C.P.:36940
Cangas (Pontevedra) SPAIN

Phone/Teléfono: +34 986 300 727

Fax: +34 986 300 727

Web: www.goldenocana.com

E-mail: info@goldenocana.com
administracion@goldenocana.com
contabilidad@goldenocana.com
gerencia@goldenocana.com
diseño@goldenocana.com



Códigos QR:

Accede directamente a la información en nuestra web.

QR Code:

Go directly to the product information in our web.





Special for LONG CAST

LIMITED EDITION

**SUPER STRENGTH
HI-ABRASION**

Ø mm.	0,16	0,18	0,20	0,22
BOB./Spool 3.000m.	✓	✓	✓	✓
BOB./Spool 2.000m.	✓	✓	—	—




Todas nuestras novedades en nuestra web y nuestra página de Facebook.

All our news on our website and our Facebook page.

www.goldenocana.com

www.facebook.com/GOLDEN.FISH.fishinglines



PROXIMAMENTE
coming soon

Junio / June 20X3

GOLDEN FISH®

SPIKE

High visibility

Dichroic line

Extreme durability

Low memory




índice – index

braided lines

GOLDEN FISH®
DYNEEMA
series
braided lines

06 **POWERTEX**

06 **DYNAPOWERFUL**

07 **POWER-MAX**

07 **VERTICAL**
Special Jigging

GOLDEN FISH®
Spectra
series
braided lines

07 **POWER SPECTRA**

fluorocarbon lines

GOLDEN FISH®
PURE
fluorocarbon
series
fluorocarbon lines

08 **FluoroCarbon** cast big game

08 **HI-SCRATCH**

09 **FLUORO CARBON**
SPECIAL LEADER

GOLDEN FISH®
fluorocarbon
series
fluorocarbon lines

09 **HYPER-CAST**
&
HYPER-LEADER

GOLDEN FISH®
MIXED
fluorocarbon
series
fluorocarbon lines

09 **FLUOXI**
LIGHT

universal lines

GOLDEN FISH®
Premium
series
universal lines

10 **PREMIUM**

GOLDEN FISH®
STRONG
series
universal lines

10 **STRONG BW**
multicolor line

11 **STRONG**

top quality lines

GOLDEN FISH®
EUROKLON
European Quality
series
top quality lines

12 **EUROKLON**
EVO-IV

12 **EUROKLON BW**

13 **EUROKLON**
EXCLUSIVE

13 **EUROKLON**
Excelsior

13 **EUROKLON**
supra

GOLDEN FISH®
EXTREME
series
top quality lines

14 **EXTREME**

14 **EXTREME**
nature

GOLDEN FISH®
SPECIAL CAST
series
top quality lines

15 **Master Power**
+ PLUS

15 **Red**
POWER

GOLDEN FISH®
HARD-LINE
series
top quality lines

17 **SUMMUM**

GOLDEN FISH®
HI-ABRASION
series
top quality lines

16 **HYPER**
HI-ABRASION **WHITE**

16 **HYPER** HI-ABRASION

17 **SEA-MAX**
HI-ABRASION

17 **SPEED BILLOW**

17 **SPEED BEACH**

índice – index

big game lines

GOLDEN FISH®
STAR
series
big game lines

18 **STAR**

19 **STAR ADVANCE**

19 **STAR EXTRA CURRICAN**

GOLDEN FISH®
UNDERWATER
series
big game lines

21 **SPECIAL LEADER MULTICOLOUR Soft**

21 **SPECIAL LEADER RED Ultra Soft**

GOLDEN FISH®
IGFA
series
big game lines

20 **BLUE SHARK**

21 **BLACK SHARK**

20 **Special Boat FLUOR**

20 **Special Boat LIGHT BLUE**

18 **Grand Slam** BIG GAME WORLD CLASS

freshwater lines

22 **series río**
collection

23 GOLDEN FISH®
KNOTLESS TAPERED LEADER

23 GOLDEN FISH®
Puentes de Linea SOLID & **Puentes de Linea**

tapered lines

24 **Puentes de Linea SOLID**

24 **Puentes de Linea**

24 **TAPERED SURF-CASTING Line**

sport longline

25 **PALANGRE deportivo sport LONGLINE** en MADEJA in HANK

26 **PALANGRE deportivo sport LONGLINE** en BOBINA in SPOOL

25 **BAJOS DE PESCAA FONDO GOLDEN FISH®**
Terminal of Bottom Fishing

high capacity lines

GOLDEN FISH®
26 **INDUSTRIAL**

GOLDEN FISH®
26 **NEW SPECIAL**



www.goldenocana.com





DYNA POWERTEX



100% DYNEMA

GOLDEN FISH®
DYNEMA series
braided lines



Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,16		0,18		0,20		0,22		0,26		0,30		0,35		0,40	
Test.	9,90 Kg.		11 Kg.		13,20 Kg.		14,30 Kg.		16,50 Kg.		22 Kg.		26 Kg.		31 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	15.516	—	15.518	—	15.520	—	15.522	—	15.526	—	15.530	—	15.535	—	15.540	—
BOB./Spool 600m	15.616	—	15.618	—	15.620	—	15.622	—	15.626	—	15.630	—	15.635	—	15.640	—
BOB./Spool 1.000m	15.716	—	15.718	—	15.720	—	15.722	—	15.726	—	15.730	—	15.735	—	15.740	—

Ø mm.	0,45		0,50		0,60		0,70		0,80	
Test.	35 Kg.		40 Kg.		50 Kg.		60 Kg.		80 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	15.545	—	15.550	—	15.560	—	15.570	—	15.580	—
BOB./Spool 600m	15.645	—	15.650	—	15.660	—	15.670	—	15.680	—
BOB./Spool 1.000m	15.745	—	15.750	—	15.760	—	15.770	—	15.780	—

COLOR:

• V - Verde / Green.

PROPIEDADES / PROPERTIES:

ES

- Hilo trenzado multifilamento (3/4 fibras) alta calidad Dyneema 100%.
- Alta resistencia: Test de origen bajo normas europeas.
- Nula elongación.
- Alta sensibilidad.

EN

- Braided multifilament (3/4 fibers) 100% Dyneema High Quality.
- High strength: Test of origin under European Standards.
- No elongation.
- High sensitivity.



PRESENTACIONES/PRESENTATIONS:

• **BOB./Spool 100m.:**

- 0.16 a/to 0.45mm: Caja 10 uds./Box 10 units.
- 0.50 a/to 0.80mm: Caja 5 uds./Box 5 units.

• **BOB./Spool 600m. & 1.000m.:**

- Caja colgador individual / Individual hanger box.
- Envase Individual (diámetros gruesos) / Individual packing (diameters thick)



DYNA POWERFUL



100% DYNEMA

GOLDEN FISH®
DYNEMA series
braided lines



Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,08		0,10		0,12		0,14		0,16		0,18		0,20		0,24	
Test.	5,50 Kg.		7 Kg.		8 Kg.		10,50 Kg.		12 Kg.		14 Kg.		16 Kg.		19 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	15.008	—	15.010	—	15.012	—	15.014	—	15.016	—	15.018	—	15.020	—	15.024	—
BOB./Spool 600m	x	—	x	—	15.112	—	15.114	—	15.116	—	15.118	—	15.120	—	15.124	—
BOB./Spool 1.000m	15.208	—	15.010	—	15.212	—	15.214	—	15.216	—	15.218	—	15.220	—	15.224	—

Ø mm.	0,30		0,35		0,40		0,45		0,50		0,60		0,70		0,80	
Test.	24 Kg.		30 Kg.		35 Kg.		40 Kg.		45 Kg.		65 Kg.		75 Kg.		88 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	15.030	—	15.035	—	15.040	—	15.045	—	15.050	—	15.060	—	15.070	—	15.080	—
BOB./Spool 600m	15.130	—	15.135	—	15.140	—	15.145	—	15.150	—	15.160	—	15.170	—	15.180	—
BOB./Spool 1.000m	15.230	—	15.235	—	15.240	—	15.245	—	15.250	—	15.260	—	15.270	—	15.280	—

Ø mm.	1,00	
Test.	115 Kg.	
	REF.	EUR.
BOB./Spool 100m	15.100	—
BOB./Spool 600m	15.200	—
BOB./Spool 1.000m	x	—

COLOR:

• GR - Gris / Grey.

PRESENTACIONES/PRESENTATIONS:

• **BOB./Spool 100m.:**

- 0.08 a/to 0.45mm: Caja 10 uds./Box 10 units.
- 0.50 a/to 1.00mm: Caja 5 uds./Box 5 units.

• **BOB./Spool 600m. & 1.000m.:**

- Caja colgador individual / Individual hanger box.
- Envase Individual (diámetros gruesos) / Individual packing (diameters thick)

PROPIEDADES / PROPERTIES:

ES

- Hilo trenzado multifilamento (3/4 fibras) alta calidad Dyneema 100%.
- Alta resistencia: Test de origen bajo normas europeas.
- Nula elongación.
- Alta sensibilidad.

EN

- Braided multifilament (3/4 fibers) 100% Dyneema High Quality.
- High strength: Test of origin under European Standards.
- No elongation.
- High sensitivity.



**POWER-MAX**

DYNEEMA SK65

engineered by
Germany100%
DYNEEMAGOLDEN FISH®
DYNEEMA
series
braided linesDiámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,25			0,30			0,35		
Test.	15 Kg.			18 Kg.			23 Kg.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool 100m	15.920	—	—	15.926	—	—	15.930	—	—
BOB./Spool	15.820	6.000	—	15.826	6.000	—	15.830	3.000	—

Ø mm.	0,40			0,45			0,50		
Test.	27 Kg.			32 Kg.			42 Kg.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool 100m	15.935	—	—	15.940	—	—	15.950	—	—
BOB./Spool	15.835	3.000	—	15.840	3.000	—	15.850	1.000	—

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja expositora 5 unidades / Display box 5 units.
- **BOB./Spool 6.000m., 3.000m. & 1.000m.:**
Envase Individual / Individual packing.

COLOR:

- R - Rojo / Red.

PROPIEDADES / PROPERTIES:**ES**

- Trenzado multifilamento (4/5 fibras) alta calidad Dyneema 100%.
- Alta resistencia: Test de origen bajo normas europeas.
- Elongación imperceptible.

EN

- Braided multifilament (4/5 fibers) 100% Dyneema High Quality.
- High strength: Test of origin under European Standards.
- Imperceptible elongation.

**VERTICAL** Special JiggingHI-TECH LINE
made in Japan100%
DYNEEMAGOLDEN FISH®
DYNEEMA
series
braided linesDiámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,200		0,255		0,350		0,450		0,550	
Test.	15 Lb.		30 Lb.		50 Lb.		80 Lb.		115 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
DISP. 300m	27.020	—	27.025	—	27.035	—	27.045	—	27.055	—
BOB./Spool 1200m	27.120	—	27.125	—	27.135	—	27.145	—	27.155	—

COLOR:

- Negro-Púrpura-Verde-Naranja-Azul /
Black-Purple-Green-Orange-Blue

PROPIEDADES / PROPERTIES:**ES**

- Dyneema 100%.
- Construcción en 4/8 carriers o 40/300 deniers (según diámetro).

EN

- 100% Dyneema.
- Construction in 4/8 carriers or 40/300 deniers (according to diameters).

PRESENTACIONES/PRESENTATIONS:

- **DISPENSER 300m.:**
Caja colgador individual / Individual hanger box.
- **BOB./Spool 1.200m.:**
Envase Individual / Individual packing.

5 COLORES
sucesivos
cada 10m.1 marca
BLANCA
cada 1m.1 marca
AMARILLA
cada 10m.**POWER SPECTRA**

SUPER BRAIDED FISHING LINE

Spectra
braided linesGOLDEN FISH®
Spectra
series
braided linesDiámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,12		0,16		0,20		0,25		0,30		0,35		0,40		0,50	
Test.	11,5Kg. - 22 Lb.		14 Kg. - 28 Lb.		17 Kg. - 35 Lb.		23 Kg. - 45 Lb.		28 Kg. - 55 Lb.		33 Kg. - 65 Lb.		41 Kg. - 80 Lb.		56 Kg. - 110 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	27.412	—	27.416	—	27.420	—	27.425	—	27.430	—	27.435	—	27.440	—	27.450	—
DISP. 300m	27.512	—	27.516	—	27.520	—	27.525	—	27.530	—	27.535	—	27.540	—	27.550	—

PROPIEDADES / PROPERTIES:**ES**

- Diámetros extra delgados con una fuerza excepcional (de cuatro a cinco veces inferior en diámetro respecto a los monofilamentos de nylon equivalentes en fuerza).
- Sensibilidad sin igual debido a una elongación muy baja.
- Excelente resistencia a químicos y a la luz ultravioleta.
- Excepcional resistencia a la abrasión.

EN

- Extra-thin diameters with outstanding strength (four or five times smaller than equivalent strength nylon monofilament).
- Unsurpassed sensitivity due to very low elongation.
- Excellent chemical and UV light resistance.
- Outstanding abrasion resistance.

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja de 10 unidades / Box of 10 units.
- **DISPENSER 300m.:**
Caja colgador individual / Individual hanger box.

COLOR:

- GR - Gris / Grey.

braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



cast Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,115		0,135		0,155		0,175		0,200		0,220		0,235		0,260	
Test.	1,5 Kg. - 3,3 Lb.		1,8 Kg. - 4 Lb.		2,3 Kg. - 5 Lb.		2,8 Kg. - 6,2 Lb.		3,7 Kg. - 8,1 Lb.		4,4 Kg. - 9,7 Lb.		5,1 Kg. - 11,2 Lb.		6 Kg. - 13,2 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 50m	30.115	—	30.135	—	30.155	—	30.175	—	30.200	—	30.220	—	30.235	—	30.260	—

Ø mm.	0,280		0,300		0,350		0,405		0,450		0,500		0,600	
Test.	6,5 Kg.- 14,3 Lb.		7,6 Kg.- 16,7 Lb.		9,2 Kg.- 20,2 Lb.		11,7 Kg.- 25,7 Lb.		14,4 Kg.- 31,7 Lb.		20 Kg.- 44 Lb.		26 Kg.- 57,2 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 50m	30.280	—	30.300	—	30.350	—	30.405	—	30.450	—	30.500	—	30.600	— (30m.)

PRESENTACIONES/PRESENTATIONS:

- cast**
- **BOB./Spool 50m.:**
Caja 6 uds./ Box 6 units.
 - **MAD./Hank 10m.& 30.:**
Bolsa colgador individual / Individual hanger bag.
 - **DISPENSER 30m.:**
Caja colgador individual / Individual hanger box.



big game Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,60		0,70		0,80		0,90		1,00		1,20		1,30		1,50	
Test.	50 Lb.		65 Lb.		80 Lb.		90 Lb.		100 Lb.		120 Lb.		150 Lb.		200 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 10m	31.060	—	31.070	—	31.080	—	31.090	—	31.100	—	31.120	—	31.130	—	31.150	—
MAD./Hank 30m	32.060	—	32.070	—	32.080	—	32.090	—	32.100	—	32.120	—	32.130	—	32.150	—
DISP. 30m.	32060D	—	32070D	—	32080D	—	32090D	—	32100D	—	32120D	—	32130D	—	32150D	—

Ø mm.	1,70		2,00	
Test.	250 Lb.		300 Lb.	
	REF.	EUR.	REF.	EUR.
MAD./Hank 10m	31.170	—	31.200	—
MAD./Hank 30m	32.170	—	32.200	—
DISP. 30m.	32170D	—	x	—

PROPIEDADES / PROPERTIES:

ES

- Al tratarse de una materia prima derivada del acero se caracteriza por su rigidez, fundamental para su aplicación como componente final de aparejo.
- Acabado rectilíneo perfecto.
- Su principal propiedad es la de Efecto de Invisibilidad dentro del agua, gracias a su grado de refracción de la luz.
- Dispone de dos variedades: CAST & BIG GAME.

EN

- Being a raw material derived steel, is characterized by its rigidity, to its application as component of the rig.
- Ended rectilinear perfect.
- Its main property is the Effect of Invisibility, thanks to the degree of refraction of light.
- Available in two versions: CAST & BIG GAME.



HI-SCRATCH

ULTRA TOP MATCH LINE
SUPERMONOFILAMENT OF 100% FLUOROCARBON



Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,122		0,134		0,156		0,176		0,198		0,219		0,232		0,259	
Test.	mínimo 1,40 Kg.		1,64 Kg.		2,10 Kg.		2,60 Kg.		3,10 Kg.		3,80 Kg.		4,30 Kg.		5,30 Kg.	
DIFERENCIAL	máximo 1,60 Kg.		1,90 Kg.		2,50 Kg.		3 Kg.		3,90 Kg.		4,50 Kg.		5,20 Kg.		6,20 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 50m	25.122	—	25.134	—	25.156	—	25.176	—	25.198	—	25.219	—	25.232	—	25.259	—
BOB./Spool 200m	26.122	—	26.134	—	26.156	—	26.176	—	26.198	—	26.219	—	26.232	—	26.259	—

Ø mm.	0,280		0,300	
Test.	mínimo 6 Kg.		6,90 Kg.	
DIFERENCIAL	máximo 6,80 Kg.		7,80 Kg.	
	REF.	EUR.	REF.	EUR.
BOB./Spool 50m	25.280	—	25.300	—
BOB./Spool 200m	26.280	—	26.300	—

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 50m.:**
Caja expositora de 5 uds. / Display Box of 5 units.
- **BOB./ Spool 200m.:**
Caja colgador individual / Individual hanger box.

PROPIEDADES / PROPERTIES:

ES

- Línea resultante de la última tecnología en extrusión de Fluorocarbono.
- Gracias al complejo copolímero PVDF aglutina las características propias de un superfluorocarbono puro 100% al mismo tiempo que las propias de un hilo poliamida de máxima calidad.
- El resultado es una línea invisible, de gran tenacidad, suave y dúctil, con una gran fuerza lineal y al nudo, garantizadas por el exclusivo y riguroso "TEST DIFERENCIAL", otorgándose así una gran fiabilidad en acción de pesca.

EN

- Line resulting from the latest technology in extrusion Fluorocarbon.
- Thanks to PVDF copolymer complex agglutinates the characteristics of a pure superfluorocarbono 100% at the same time those of the highest quality polyamide line.
- The result is an invisible line, high tenacity, soft and ductile with a large linear and knot strength, guaranteed by the unique and rigorous "DIFFERENTIAL TEST", granting reliability and great fishing action.





FLUORO CARBON
SPECIAL LEADER



HI-TECH LINE
made in Japan

100%
fluorocarbon

GOLDEN FISH®
fluorocarbon
series
fluorocarbon lines



Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,340	0,400	0,440	0,490	0,590	0,670
Test.	mínimo 7,80 Kg.	10,60 Kg.	12,20 Kg.	14,40 Kg.	19,50 Kg.	24,30 Kg.
DIFERENCIAL	máximo 9,40 Kg.	12,10 Kg.	13,90 Kg.	17,10 Kg.	22,10 Kg.	27 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 50m	21.134 —	21.140 —	21.144 —	21.149 —	21.159 —	21.167 —

**PRESENTACIONES/
PRESENTATIONS:**

- **BOB./ Spool 50m.:**
Caja colgador individual /
Individual hanger box.

PROPIEDADES / PROPERTIES:

ES

- Última generación de polímero de Fluorocarbono 100% en doble extrusión.
- Mayor resistencia al nudo (garantizada por TEST DIFERENCIAL).
- Gran absorción al impacto./ Gran elasticidad controlada.
- Mayor grado de invisibilidad.

EN

- Last generation fluorocarbon polymer in 100% double extrusion.
- Higher knot strength (guaranteed by DIFFERENTIAL TEST).
- Great impact absorption./ High elasticity controlled.
- Higher degree of invisibility.



HYPER-CAST & HYPER-LEADER



100%
fluorocarbon
COLOR

GOLDEN FISH®
fluorocarbon
series
fluorocarbon lines



HYPER-CAST Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,145	0,166	0,185	0,215	0,265	0,285	0,305	0,355
Test.	1,70 Kg.	2,20 Kg.	2,60 Kg.	3,20 Kg.	5,30 Kg.	6,10 Kg.	6,90 Kg.	8,80 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m.	60.014 —	60.016 —	60.018 —	60.021 —	60.026 —	60.028 —	60.030 —	60.035 —
DISP. 150m.	60.114 —	60.116 —	60.118 —	60.121 —	60.126 —	60.128 —	60.130 —	60.135 —

Ø mm.	0,410	0,460	0,520
Test.	11,40 Kg.	13,20 Kg.	16,70 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m.	60.041 —	60.046 —	60.052 —
DISP. 150m.	60.141 —	60.146 —	60.152 —

**PRESENTACIONES/
PRESENTATIONS:**

- **BOB./ Spool 50m.:**
Caja expositora de 5 uds./
Display Box of 5 units.
- **DISPENSER 150m.:**
Caja colgador individual /
Individual hanger box.

COLOR:



HYPER-LEADER Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,600	0,750	0,900	1,000	1,100	1,200	1,350	1,600	1,800
Test.	50 Lb.	60 Lb.	80 Lb.	100 Lb.	120 Lb.	150 Lb.	190 Lb.	250 Lb.	320 Lb.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
DISP. 50m.	60.560 —	60.575 —	60.590 —	60.600 —	60.610 —	60.620 —	60.635 —	60.660 —	60.680 — (30m.)

PRESENTACIONES/PRESENTATIONS:

- **DISPENSER 50m.:**
Caja colgador indiv. / Individual hanger box.

COLOR:



ÚLTIMA TECNOLOGÍA DE EXTRUSIÓN DE FLUOROCARBON 100% COLOR.
(crea mayor efecto de invisibilidad, adaptándose totalmente a su entorno)

LAST FLUOROCARBON EXTRUSION TECHNOLOGY 100% COLOR.
(creates greater effect of invisibility, fully adapted to its environment)



**FLUOXI
LIGHT**

FLUOROCARBON MIXED LIGHT

HI-TECH LINE
made in Japan

100%
fluorocarbon

GOLDEN FISH®
fluorocarbon
series
fluorocarbon lines



Diámetros, Resistencias y Referencias. *Diameters, Resistance and References.*

Ø mm.	0,125	0,150	0,165	0,185	0,200	0,225	0,245	0,260
Test.	1,95 Kg.	2,40 Kg.	3,10 Kg.	4 Kg.	4,5 Kg.	5,4 Kg.	6,30 Kg.	7,20 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m.	34.125 —	34.150 —	34.165 —	34.185 —	34.200 —	34.225 —	34.245 —	34.260 —
BOB./Spool 300m.	36.125 —	36.150 —	36.165 —	36.185 —	36.200 —	36.225 —	36.245 —	36.260 —
BOB./Spool 600m.	35.125 —	35.150 —	35.165 —	35.185 —	35.200 —	35.225 —	35.245 —	35.260 —

Ø mm.	0,280	0,300	0,330	0,350	0,400	0,450	0,500
Test.	8 Kg.	9,50 Kg.	11 Kg.	12,20 Kg.	15 Kg.	18 Kg.	22 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m.	34.280 —	34.300 —	34.330 —	34.350 —	34.400 —	34.450 —	34.500 —
BOB./Spool 300m.	36.280 —	36.300 —	36.330 —	36.350 —	36.400 —	36.450 —	36.500 —
BOB./Spool 600m.	35.280 —	35.300 —	35.330 —	35.350 —	35.400 —	35.450 —	35.500 —

COLOR:

Blanco violáceo
luminoso/ White
violet light.


PROPIEDADES / PROPERTIES:

ES • Máxima calidad:
POLIAMIDA+FLUOROCARBONO+FLUORESCENTE

EN • Top quality: POLYAMIDE+FLUOROCARBON+FLUORESCENT

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja de 10 unidades /
Box of 10 units.
- **BOB./Spool 300m.:**
Caja colgador individual/
Individual hanger box.
- **BOB./Spool 600m.:**
Caja de 5 unidades /
Box of 5 units.



braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,25			0,30			0,35			0,40			0,45			0,50		
Test.	4 Kg.			5,30 Kg.			6,50 Kg.			8,70 Kg.			10,50 Kg.			12,80 Kg.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool 100m	1.125	—	—	1.130	—	—	1.135	—	—	1.140	—	—	1.145	—	—	1.150	—	—
BOB./Spool 1/4 Lb	1.225	2.000	—	1.230	1.300	—	1.235	1.000	—	1.240	800	—	1.245	700	—	1.250	500	—
BOB./Spool 1.000m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Ø mm.	0,60			0,70			0,80			0,90			1,00		
Test.	16,90 Kg.			22,50 Kg.			28 Kg.			33 Kg.			40 Kg.		
	REF.	MET.	EUR.	REF.	EUR.	EUR.	REF.	EUR.	EUR.	REF.	EUR.	EUR.	REF.	EUR.	EUR.
BOB./Spool 100m	1.160	—	—	1.170	—	—	1.180	—	—	1.190	—	—	1.200	—	—
BOB./Spool 1/4 Lb	1.260	400	—	x	x	x	x	x	x	x	x	x	x	x	x
BOB./Spool 1.000m	1.261	—	—	1.270	—	—	1.280	—	—	1.290	—	—	1.300	—	—

COLORES / COLORS:

- BL - Blanco Transparente / Transparent white.
- V - Verde / Green.

PROPIEDADES / PROPERTIES:

ES

- Monofilamento de poliamida básico de carácter universal.
- Buenas prestaciones para una excelente relación calidad-precio.
- Apariencia brillante.
- Tacto suave.

EN

- Polyamide monofilament basic of universal application.
- Good benefits for an excellent relation quality-price.
- Bright appearance.
- Soft touch.

PRESENTACIONES/PRESENTATIONS:

• BOB./Spool 100m.:

- 0,20 a/to 0,30mm.: Caja 16 uds./Box 16 units
- 0,35 a/to 0,60mm.: Caja 10 uds./Box 10 units
- 0,70 a/to 1,00mm.: Caja 7 uds./Box 7 units

• BOB./ Spool 1/4 Lb.:

- Envase individual / Individual packing.

• BOB./ Spool 1.000m.:

- Caja colgador individual / Individual hanger box.



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,25		0,30		0,35		0,40		0,45		0,50		0,60		0,70	
Test.	5 Kg.		7 Kg.		8,50 Kg.		11 Kg.		14 Kg.		17 Kg.		22 Kg.		27 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	7.503	—	7.505	—	7.506	—	7.507	—	7.508	—	7.509	—	7.510	—	7.511	—
BOB./Spool 500m	x	x	x	x	x	x	x	x	x	x	x	x	7.940	—	7.941	—
BOB./Spool 1.000m	7.903	—	7.905	—	7.906	—	7.907	—	7.908	—	7.909	—	7.910	—	7.911	—

Ø mm.	0,80		0,90		1,00		1,10		1,20		1,30	
Test.	34 Kg.		40 Kg.		48 Kg.		55 Kg.		70 Kg.		80 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	7.512	—	7.513	—	7.514	—	x	x	x	x	x	x
BOB./Spool 500m	7.942	—	7.943	—	7.944	—	7.945	—	7.946	—	7.947	—
BOB./Spool 1.000m	7.912	—	7.913	—	7.914	—	7.915	—	7.916	—	7.917	—

COLORES / COLORS:

- MULTICOLOR**
- verde hoja + leaf green
 - azul tuquesa + turquoise blue
 - granate + garnet
 - negro + black

PROPIEDADES / PROPERTIES:

ES

- Hilo monofilamento de alta calidad.
- Muy dúctil.
- Apariencia brillante y elasticidad controlada.
- Buena resistencia a la abrasión.
- Tacto realmente suave.

EN

- High quality monofilament line.
- Very ductile.
- Brilliant appearance and controlled elasticity.
- Good abrasion resistance.
- Really soft touch.



PRESENTACIONES / PRESENTATIONS:

BOB./ Spool 100m.

- 0,20 a/to 0,30mm.: Caja 16 uds./Box 16 units
- 0,35 a/to 0,60mm.: Caja 10 uds./Box 10 units
- 0,65 a/to 1,00mm.: Caja 7 uds./Box 7 units

BOB./ Spool 500m. & 1000m.

- Envase individual / Individual packing.





GOLDEN FISH®
STRONG
BRAIDED LINES

engineered by
Germany

COLLECTION STRONG
universal lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,20	0,22	0,25	0,28	0,30	0,35	0,40	0,45
Test.	2,90 Kg.	3,30 Kg.	4,60 Kg.	5,40 Kg.	6,30 Kg.	7,80 Kg.	10,70 Kg.	12,50 Kg.
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	2.120	—	2.122	—	2.125	—	2.130	—
BOB./Spool 300m	2.220	—	2.222	—	2.225	—	2.230	—
BOB./Spool 600m	2.320	—	2.322	—	2.325	—	2.330	—
BOB./Spool 1.000m	2.420	—	2.422	—	2.425	—	2.430	—

Ø mm.	0,50	0,55	0,60	0,65	0,70	0,80	0,90	1,00
Test.	14,80 Kg.	17,20 Kg.	19,50 Kg.	23,20 Kg.	25,50 Kg.	34 Kg.	38 Kg.	48 Kg.
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	2.150	—	2.155	—	2.160	—	2.170	—
BOB./Spool 300m	2.250	—	2.255	—	2.260	—	x	x
BOB./Spool 600m	2.350	—	x	x	x	x	x	x
BOB./Spool 1.000m	x	x	x	x	x	x	x	x

PROPIEDADES / PROPERTIES:

ES

- Monofilamento de poliamida medio de carácter universal.
- Múltiples aplicaciones: muy equilibrado.
- Tacto suave con un grado medio de rigidez y elongación.
- Gran variedad de diámetros, colores y presentaciones.
- Test altos y fiables.

EN

- Polyamide monofilament medium of universal application.
- Multiple applications: very balanced in all technical parameters.
- Soft touch with an average degree of rigidity and elongation.
- Wide variety of diameters, colours and presentations.
- High and reliable Test.

COLORES / COLORS:

- **AZ** - Azul Turquesa / Turquoise Blue
- **V** - Verde Mar / Sea Green
- **GR** - Gris Perla / Pearl Grey
- **SAL** - Salmón / Salmon
- **BL** - Blanco Transp. / Transparent White



PRESENTACIONES / PRESENTATIONS:

BOB./ Spool 100m.

0,20 a/to 0,30mm.: Caja 16 uds./Box 16 units
0,35 a/to 0,60mm.: Caja 10 uds./Box 10 units
0,65 a/to 1,00mm.: Caja 7 uds./Box 7 units



BOB./ Spool 300m.

Caja colgador individual /
Individual hanger Box.



BOB./ Spool 600m.

Caja colgador individual /
Individual hanger Box.



BOB./ Spool 1000m.

Caja colgador individual /
Individual hanger Box.



www.goldenocana.com

un mundo por descubrir
a world to discover



braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines

braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



GOLDEN FISH®
EUROKLON
EVO-IV



engineered by
Germany

EUROKLON
European Quality
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,160		0,180		0,205		0,225		0,255		0,285		0,305		0,355	
Test.	mínimo 2,55 Kg.		3,30 Kg.		4,10 Kg.		4,80 Kg.		5,80 Kg.		7,70 Kg.		8,70 Kg.		11 Kg.	
DIFERENCIAL	máximo 3,10 Kg.		3,90 Kg.		4,70 Kg.		5,40 Kg.		6,60 Kg.		8,50 Kg.		10 Kg.		12,90 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	4.116	—	4.118	—	4.120	—	4.122	—	4.125	—	4.128	—	4.130	—	4.135	—
BOB./Spool 300m	4.016	—	4.018	—	4.020	—	4.022	—	4.025	—	4.028	—	4.030	—	4.035	—
BOB./Spool 500m	4.216	—	4.218	—	4.220	—	4.222	—	4.225	—	4.228	—	4.230	—	4.235	—
BOB./Spool 1000m	4.316	—	4.318	—	4.320	—	4.322	—	4.325	—	4.328	—	4.330	—	4.335	—
BOB./Spool 3000m	4.416	—	4.418	—	4.420	—	4.422	—	4.425	—	4.428	—	4.430	—	4.435	—

Ø mm.	0,405		0,450		0,500		0,550		0,600		0,700		0,800		1,000	
Test.	mínimo 14 Kg.		16,50 Kg.		19,20 Kg.		22,50 Kg.		26 Kg.		33 Kg.		40 Kg.		59 Kg.	
DIFERENCIAL	máximo 16 Kg.		19 Kg.		22 Kg.		25 Kg.		29 Kg.		34,50 Kg.		43 Kg.		61,50 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	4.140	—	4.145	—	4.150	—	4.155	—	4.160	—	4.170	—	4.180	—	4.200	—
BOB./Spool 300m	4.040	—	4.045	—	4.050	—	x	x	x	x	x	x	x	x	x	x
BOB./Spool 500m	4.240	—	4.245	—	4.250	—	4.255	(400m.)	4.260	(300m.)	4.270	(300m.)	x	x	x	x
BOB./Spool 1000m	4.340	—	4.345	—	4.350	—	4.355	—	4.360	—	4.370	—	4.380	—	4.400	—
BOB./Spool 3000m	4.440	—	4.445	—	4.450	—	4.455	—	4.460	—	4.470	—	x	x	x	x

PROPIEDADES / PROPERTIES:

ES

- Nueva evolución de EUROKLON.
- Copolímero de última generación.
- Elongación 20-25%.
- Gran resistencia a la abrasión.
- Muy suave al tacto.
- Baño electrolítico: mayor durabilidad.

EN

- New developments in EUROKLON.
- Copolymer latest generation.
- Elongation 20-25%.
- High resistance to abrasion.
- Very soft to the touch.
- Electrolytic bath: more durability.

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
0,160 a/to 0,500mm: Caja 10 uds./Box 10 units.
0,550 a/to 1,000mm: Caja 5 uds./Box 5 units.
- **BOB./Spool 300m.:**
Caja colgador individual /Individual hanger box.
- **BOB./Spool 500m.:**
Caja 5 uds. / Box 5 units.
- **BOB./Spool 1.000m.:**
Caja colgador individual /Individual hanger box.
Envase Individual (diámetros gruesos)/
Individual packing (diameters thick).
- **BOB./Spool 3.000m.:**
Envase Individual /Individual packing.

COLORES / COLORS:

Gris con tintes azules /
Grey with blue tints.



GOLDEN FISH®
EUROKLON BW



engineered by
Germany

EUROKLON
European Quality
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,210		0,225		0,250		0,265		0,285		0,305		0,360		0,420	
Test.	mínimo 4 Kg.		4,70 Kg.		5,60 Kg.		6,20 Kg.		7,30 Kg.		8,10 Kg.		10,50 Kg.		13 Kg.	
DIFERENCIAL	máximo 4,25 Kg.		5,10 Kg.		6 Kg.		6,60 Kg.		8,10 Kg.		8,50 Kg.		11,70 Kg.		14,50 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	4.121BW	—	4.122BW	—	4.125BW	—	4.126BW	—	4.128BW	—	4.130BW	—	4.136BW	—	4.142BW	—
BOB./Spool 1000m	4.321BW	—	4.322BW	—	4.325BW	—	4.326BW	—	4.328BW	—	4.330BW	—	4.336BW	—	4.342BW	(800m.)
BOB./Spool 3000m	4.421BW	—	4.422BW	—	4.425BW	—	4.426BW	—	4.428BW	—	4.430BW	—	4.436BW	—	4.442BW	—

Ø mm.	0,465		0,520	
Test.	mínimo 16 Kg.		19 Kg.	
DIFERENCIAL	máximo 17 Kg.		21 Kg.	
	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	4.146BW	—	4.152BW	—
BOB./Spool 1000m	4.346BW	(700m.)	4.352BW	(600m.)
BOB./Spool 3000m	4.446BW	—	4.452BW	—

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja 10 uds./Box 10 units.
- **BOB./Spool 1.000m.:**
Caja colgador individual /Individual hanger box.
Envase Individual (diámetros gruesos)/
Individual packing (diameters thick)
- **BOB./Spool 3.000m.:**
Envase Individual /Individual packing



PROPIEDADES / PROPERTIES:

ES

- Nueva evolución de EUROKLON.
- Copolímero de última generación.
- Elongación 20-25%.
- Gran resistencia a la abrasión.
- Muy suave al tacto.
- Hilo Multicolor - Test Diferencial

EN

- New developments in EUROKLON.
- Copolymer latest generation.
- Elongation 20-25%.
- High resistance to abrasion.
- Very soft to the touch.
- Multicolor Line - Differential Test.





EUROKLON Exclusive



engineered by
Germany

EUROKLON
European Quality
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,105	0,125	0,145	0,165	0,185	0,205	0,225	0,245
Test.	1,35 Kg.	1,60 Kg.	2,20 Kg.	2,70 Kg.	3,40 Kg.	4,20 Kg.	4,95 Kg.	5,80 Kg.
DIFERENCIAL	mínimo 1,66 Kg.	máximo 2,30 Kg.	mínimo 2,70 Kg.	máximo 3,60 Kg.	mínimo 4,25 Kg.	máximo 5,30 Kg.	mínimo 6,40 Kg.	máximo 6,95 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	40.010 —	40.012 —	40.014 —	40.016 —	40.018 —	40.020 —	40.022 —	40.024 —
BOB./Spool 300m	40.110 —	40.112 —	40.114 —	40.116 —	40.118 —	40.120 —	40.122 —	40.124 —
BOB./Spool 1000m	40.210 —	40.212 —	40.214 —	40.216 —	40.218 —	40.220 —	40.222 —	40.224 —

Ø mm.	0,265	0,285	0,305	0,355	0,405	0,460	0,520	0,620
Test.	6,50 Kg.	7,80 Kg.	8,85 Kg.	11,70 Kg.	13,80 Kg.	17 Kg.	21 Kg.	29,50 Kg.
DIFERENCIAL	mínimo 7,80 Kg.	máximo 9,25 Kg.	mínimo 11 Kg.	máximo 14,10 Kg.	mínimo 16,90 Kg.	máximo 21 Kg.	mínimo 24 Kg.	máximo 34 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	40.026 —	40.028 —	40.030 —	40.035 —	40.040 —	40.046 —	40.052 —	40.062 —
BOB./Spool 300m	40.126 —	40.128 —	40.130 —	40.135 —	40.140 —	40.146 —	40.152 —	40.162 —
BOB./Spool 1000m	40.226 —	40.228 —	40.230 —	40.235 —	40.240 —	40.246 —	40.252 —	40.262 —

PROPIEDADES / PROPERTIES:

ES

- Tecnología de extrusión de última generación bajo normativas ISO.
- Suave al tacto y baja elongación.

EN

- Latest Technology of extrusion under ISO standards.
- Soft to the touch and low elongation.

COLORES / COLORS:

Castaño intenso translúcido /
Chesnut intense translucent.



PRESENTACIONES/PRESENTATIONS:

• BOB./Spool 100m.:

Caja 12 uds./Box 12 units.

• BOB./Spool 300m.:

Caja colgador individual /Individual hanger box.

• BOB./Spool 1.000m.:

Caja colgador individual /Individual hanger box.

Envase Individual (diámetros gruesos)/
Individual packing (diameters thick).



Excelsior

1/4 Libra

engineered by
Germany

EUROKLON
European Quality
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,12	0,14	0,16	0,18	0,20	0,22	0,25	0,28
Test.	2 Kg.	2,50 Kg.	2,90 Kg.	3,40 Kg.	4,50 Kg.	4,90 Kg.	6,30 Kg.	7,70 Kg.
METROS	8.000 m.	5.900 m.	4.800 m.	3.700 m.	3.000 m.	2.500 m.	1.860 m.	1.500 m.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 1/4Lb. BROWN - MARRÓN	8112-M —	8114-M —	8116-M —	8118-M —	8120-M —	8122-M —	8125-M —	8128-M —
BOB./Spool 1/4Lb. RED - ROJO	8112-R —	8114-R —	8116-R —	8118-R —	8120-R —	8122-R —	8125-R —	8128-R —

Ø mm.	0,30	0,35	0,40	0,45	0,50	0,60
Test.	8,90 Kg.	11,70 Kg.	13,80 Kg.	16,10 Kg.	19,50 Kg.	25,90 Kg.
METROS	1.300 m.	1.000 m.	750 m.	600 m.	478 m.	350 m.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 1/4Lb. BROWN - MARRÓN	8130-M —	8135-M —	8140-M —	8145-M —	8150-M —	8160-M —
BOB./Spool 1/4Lb. RED - ROJO	8130-R —	8135-R —	8140-R —	8145-R —	8150-R —	8160-R —

PROPIEDADES / PROPERTIES:

ES - Baja elongación: 15-20%

- Gran impermeabilidad y resistencia a la abrasión.
- Elasticidad precisa y baja memoria.

EN - Low Elongation: 15-20%

- High impermeability and resistance to abrasion.
- Precise elasticity and low memory.

PRESENT./PRESENTATIONS:

Caja individual/ Individual Box.



supra

engineered by
Germany

EUROKLON
European Quality
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,25	0,30	0,35	0,40	0,45	0,50	0,60
Test.	6,30 Kg.	8,90 Kg.	11,70 Kg.	13,80 Kg.	16,10 Kg.	19,50 Kg.	25,90 Kg.
METROS	17.900 m.	12.500 m.	9.150 m.	7.050 m.	5.600 m.	4.500 m.	3.150 m.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool	8.925 —	8.930 —	8.935 —	8.940 —	8.945 —	8.950 —	8.960 —

PROPIEDADES / PROPERTIES:

ES - Baja elongación: 15-20%

- Gran impermeabilidad y resistencia a la abrasión.
- Elasticidad precisa y baja memoria.

EN - Low Elongation: 15-20%

- High impermeability and resistance to abrasion.
- Precise elasticity and low memory.

PRESENTACIONES/PRESENTATIONS:

Envase Individual / Individual packing.

COLOR:

Gris translúcido con tonos verdes / Translucent gray with green tones.



braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



GOLDEN FISH®
EXTREME



HI-TECH LINE
made in Japan

GOLDEN FISH®
EXTREME
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,125	0,145	0,165	0,185	0,205	0,225	0,255	0,285
Test. mínimo	1,70 Kg.	2,35 Kg.	2,75 Kg.	3,60 Kg.	4,30 Kg.	5,65 Kg.	6,60 Kg.	7,50 Kg.
DIFERENCIAL máximo	2,40 Kg.	2,90 Kg.	3,80 Kg.	4,60 Kg.	5,70 Kg.	7,50 Kg.	8,80 Kg.	9,90 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	16.125 —	16.145 —	16.165 —	16.185 —	16.205 —	16.225 —	16.255 —	16.285 —
BOB./Spool 300m	18.125 —	18.145 —	18.165 —	18.185 —	18.205 —	18.225 —	18.255 —	18.285 —
BOB./Spool 600m 'unit'	17.125i —	17.145i —	17.165i —	17.185i —	17.205i —	17.225i —	17.255i —	17.285i —
BOB./Spool 600m	17.125 —	17.145 —	17.165 —	17.185 —	17.205 —	17.225 —	17.255 —	17.285 —

Ø mm.	0,305	0,355	0,405	0,450	0,500
Test. mínimo	9,80 Kg.	12,75 Kg.	15,40 Kg.	20,10 Kg.	24,20 Kg.
DIFERENCIAL máximo	12,85 Kg.	16,50 Kg.	19,50 Kg.	24 Kg.	27,50 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	16.305 —	16.355 —	16.405 —	16.450 —	16.500 —
BOB./Spool 300m	18.305 —	18.355 —	18.405 —	18.450 —	18.500 —
BOB./Spool 600m 'unit'	17.305i —	17.355i —	17.405i —	x x	x x
BOB./Spool 600m	17.305 —	17.355 —	17.405 —	17.450 —	17.500 —

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja 12 uds./Box 12 units.
- **BOB./Spool 300m. & 600m. 'unit':**
Caja colgador individual /Individual hanger box.
- **BOB./Spool 600m.:**
Caja 5 uds./Box 5 units.



COLORES / COLORS:
Champán / Champagne.

PROPIEDADES / PROPERTIES:

- | | |
|--|---|
| <p>ES</p> <ul style="list-style-type: none"> - Sus extraordinarias cualidades le permiten adaptarse a todas las técnicas de pesca y a cualquier tipo de agua. - Copolímero de última generación, que supone el máximo exponente en tecnología de extrusión. - Diámetros exactos, medidos en fábrica de origen. | <p>EN</p> <ul style="list-style-type: none"> - Its extraordinary qualities as to fit all fishing techniques and any type of water. - Copolymer of last generation, representing the maximum exponent in extrusion technology. - Exact diameters, measured at the factory of origin. |
|--|---|



GOLDEN FISH®
EXTREME
nature



HI-TECH LINE
made in Japan

GOLDEN FISH®
EXTREME
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,090	0,110	0,120	0,130	0,145	0,170	0,185	0,210
Test. mínimo	1,15 Kg.	1,60 Kg.	1,80 Kg.	1,95 Kg.	2,60 Kg.	3,30 Kg.	3,90 Kg.	4,75 Kg.
DIFERENCIAL máximo	1,75 Kg.	2,45 Kg.	2,55 Kg.	2,65 Kg.	3,20 Kg.	4,10 Kg.	4,85 Kg.	6,10 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	40.509 —	40.511 —	40.512 —	40.513 —	40.514 —	40.517 —	40.518 —	40.521 —
BOB./Spool 250m	40.609 —	40.611 —	40.612 —	40.613 —	40.614 —	40.617 —	40.618 —	40.621 —
BOB./Spool 300m	x x	x x	x x	x x	x x	x x	x x	x x
BOB./Spool 1000m	40.709 —	40.711 —	40.712 —	40.713 —	40.714 —	40.717 —	40.718 —	40.721 —

Ø mm.	0,240	0,260	0,285	0,310	0,365	0,400	0,450	0,500
Test. mínimo	6,80 Kg.	7,60 Kg.	8,90 Kg.	10,10 Kg.	14,20 Kg.	16,50 Kg.	19,30 Kg.	23,90 Kg.
DIFERENCIAL máximo	8,30 Kg.	9,75 Kg.	11 Kg.	13,50 Kg.	18,20 Kg.	20,60 Kg.	24 Kg.	28 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 100m	40.524 —	40.526 —	40.528 —	40.531 —	40.536 —	40.540 —	40.545 —	40.550 —
BOB./Spool 250m	40.624 —	x x	x x	x x	x x	x x	x x	x x
BOB./Spool 300m	x x	40.626 —	40.628 —	40.631 —	40.636 —	40.640 —	40.645 —	40.650 —
BOB./Spool 1000m	40.724 —	40.726 —	40.728 —	40.731 —	40.736 —	40.740 —	40.745 —	40.750 —

PROPIEDADES / PROPERTIES:

- ES**
- Ha sido fabricado bajo los más estrictos controles de calidad y una tecnología totalmente novedosa.
 - Extrusión mixta: Poliamida / Fluorocarbono.
 - Producción limitada a un sólo diámetro por línea de extrusión.
 - Post-tratamiento electrolítico.
- EN**
- Has been manufactured under strict quality controls and a totally new technology.
 - Mixed extrusion: Polyamide / Fluorocarbon.
 - Production limited to a single extrusion line diameter.
 - Post-treatment electrolyte.

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja 12 uds./ Box 12 units.
- **BOB./Spool 250m. & 300m.:**
Caja colgador individual /Individual hanger box.
- **BOB./Spool 1.000m.:**
Caja colgador individual /Individual hanger box.
Envase Individual (diámetros gruesos)/
Individual packing (diameters thick).



COLORES / COLORS:

Blanco transparente natural /
Natural transparent white.





Master Power + PLUS



engineered by
Germany

GOLDEN FISH
SPECIAL CAST
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,110		0,125		0,160		0,180		0,205		0,220		0,245		0,265	
Test.	mínimo 1,30 Kg.		1,55 Kg.		2,60 Kg.		3,35 Kg.		4,10 Kg.		4,85 Kg.		5,65 Kg.		6,40 Kg.	
DIFERENCIAL	máximo 1,63 Kg.		2,20 Kg.		3,50 Kg.		4,15 Kg.		5,10 Kg.		6,05 Kg.		6,80 Kg.		7,70 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	11.410	—	11.412	—	11.416	—	11.418	—	11.420	—	11.422	—	11.424	—	11.426	—
BOB./Spool 600m	11.610	—	11.612	—	11.616	—	11.618	—	11.620	—	11.622	—	11.624	—	11.626	—
BOB./Spool 3000m	11.710	—	11.712	—	11.716	—	11.718	—	11.720	—	11.722	—	11.724	—	11.726	—

Ø mm.	0,285		0,300		0,330		0,360		0,405		0,450		0,500		0,620	
Test.	mínimo 7,70 Kg.		8,35 Kg.		9,60 Kg.		11,30 Kg.		13,40 Kg.		16,50 Kg.		19,10 Kg.		27,30 Kg.	
DIFERENCIAL	máximo 9,20 Kg.		10 Kg.		11,50 Kg.		13,50 Kg.		16,10 Kg.		19,80 Kg.		22,70 Kg.		32 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	11.428	—	11.430	—	11.433	—	11.536	—	11.540	—	11.545	—	11.550	—	11.562	—
BOB./Spool 600m	11.628	—	11.630	—	11.633	—	11.636	—	11.640	—	11.645	(400m.)	11.650	(300m.)	x	x
BOB./Spool 3000m	11.728	—	11.730	—	11.733	—	11.736	—	11.740	—	11.745	—	11.750	—	x	x

Ø mm.	0,800		0,900		0,950		1,100	
Test.	mínimo 39,40 Kg.		51 Kg.		60 Kg.		70 Kg.	
DIFERENCIAL	máximo 45,30 Kg.		58,65 Kg.		69 Kg.		80,50 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m	11.580	—	11.590	—	11.595	—	11.710	—
BOB./Spool 600m	x	x	x	x	x	x	x	x
BOB./Spool 3000m	x	x	x	x	x	x	x	x

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
Caja 12 uds./Box 12 units.
- **BOB./Spool 600m.:**
Caja colgador individual /Individual hanger box.
- **BOB./Spool 3.000m.:**
Envase Individual /Individual packing.

COLOR:

Natural transparente/
Tranparent natural.



PROPIEDADES / PROPERTIES:

ES

- Hilo monofilamento fabricado a partir de la poliamida de más alta calidad y bajo la tecnología de extrusión más avanzada.
- Diámetros exactos, ajustados a la milésima.
- Elasticidad controlada hasta la rotura (17-20%).
- Su resistencia al nudo difiere de la lineal solamente un 10%.

EN

- Monofilament manufactured from the highest quality polyamide and under the most advanced extruding technology.
- Exact diameters, adjusted to the thousandth.
- Controlled elasticity at break (17-20%).
- Its knot resistance differs to linear only 10%.



Red POWER

engineered by
Germany

GOLDEN FISH
SPECIAL CAST
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,12		0,14		0,16		0,18		0,20		0,22		0,24		0,26	
Test.	1,90 Kg.		2,60 Kg.		3 Kg.		3,60 Kg.		4,50 Kg.		5,10 Kg.		5,70 Kg.		6,60 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	13.512	—	13.514	—	13.516	—	13.518	—	13.520	—	13.522	—	13.524	—	13.526	—
BOB./Spool 1000m.	13.612	—	13.614	—	13.616	—	13.618	—	13.620	—	13.622	—	13.624	—	13.626	—

Ø mm.	0,28		0,30		0,35		0,40		0,45		0,50		0,60		0,70	
Test.	8 Kg.		9,20 Kg.		12,80 Kg.		15,50 Kg.		18 Kg.		23 Kg.		32 Kg.		38 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	13.528	—	13.530	—	13.535	—	13.540	—	13.545	—	13.550	—	13.560	—	13.570	—
BOB./Spool 1000m.	13.628	—	13.630	—	13.635	—	13.640	(800m.)	13.645	(700m.)	13.650	(600m.)	x	x	x	x

Ø mm.	0,80		0,90		1,00	
Test.	45 Kg.		58 Kg.		70 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	13.580	—	13.590	—	13.600	—
BOB./Spool 1000m.	x	x	x	x	x	x

PRESENTACIONES/PRESENTATIONS:

- **BOB./Spool 100m.:**
- 0,12 a/to 0,50mm.: Caja 10 uds./Box 10 units.
- 0,60 a/to 1,00mm.: Caja 5 uds./Box 5 units.
- **BOB./Spool 1.000m.:**
Caja colgador individual /Individual hanger box.

COLOR:

Rojo/ Red.

PROPIEDADES / PROPERTIES:

ES

- Excelente equilibrio del total de sus características.
- Gran resistencia lineal y al nudo.
- Textura DICROICA: Rechaza totalmente la luz dentro del agua, ayudado por su coloración roja.
- Muy dúctil.
- Suave y flexible.
- Elongación justa.
- Buen tratamiento electrolítico para conferirle baja memoria y gran resistencia a la abrasión, así como a los rayos solares.

EN

- Excellent balance of all its characteristics.
- Great linear and knot strength.
- DICHROIC Texture: totally rejects light in the water, helped by its red coloration.
- Very ductile.
- Soft and flexible.
- Elongation fair.
- Good electrolytic treatment to confer low memory and high abrasion resistance, as well as sunlight.

braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



HYPER
HI-ABRASION WHITE



HI-TECH LINE
made in Japan

GOLDEN FISH®
HI-ABRASION
Series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,120	0,145	0,165	0,185	0,215	0,235	0,255	0,280
Test.	2,40 Kg.	2,90 Kg.	3,70 Kg.	4,10 Kg.	6,40 Kg.	7,70 Kg.	8,30 Kg.	9,60 Kg.
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 150m.	61012BL	—	61014BL	—	61016BL	—	61018BL	—
BOB./Spool 300m.	61112BL	—	61114BL	—	61116BL	—	61118BL	—
BOB./Spool 200m.	61212BL	—	61214BL	—	61216BL	—	61218BL	—

NEW
Novedad

EW redad	Ø mm.	0,305		0,360		0,400		0,450		0,500	
	Test.	10,80 Kg.		14 Kg.		17,80 Kg.		19 Kg.		22 Kg.	
		REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
	BOB./Spool 150m.	61030BL	—	61036BL	—	61040BL	—	61045BL	—	61050BL	—
	BOB./Spool 300m.	61130BL	—	61136BL	—	61140BL	—	61145BL	—	61150BL	—
	BOB./Spool 200m.	61230BL	—	61236BL	—	61240BL	—	61245BL	—	61215BL	—

NEW
Novedad

PROPIEDADES / PROPERTIES:

ES

- Construido a través de la tecnología más novedosa: **EXTRUSIÓN MOLECULAR.**
- Aplicación Fluorocarbon Cover:
 - * Baja memoria.
 - * Óptimo deslizamiento.
 - * No absorción de agua.
 - * Azoque perfecto en nudo.
- Alta resistencia a la ABRASIÓN.
- Ajuste total de diámetros y Test de resistencia.

EN

- Built by the newest technology: **MOLECULAR EXTRUSION.**
- Fluorocarbon Cover Application:
 - * Low memory.
 - * Optimal sliding.
 - * No water absorption.
 - * Perfect knot and stronger.
- High resistance to abrasion.
- Total adjustment of diameter and strength test.

PRESENTACIONES/PRESENTATIONS:

- BOB./Spool 150m. 300m. & 200m.:

Caja colgador individual / Individual hanger box.



www.goldenocana.com



HYPER
HI-ABRASION



HI-TECH LINE
made in Japan

GOLDEN FISH®
HI-ABRASION
Series
top quality lines




Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,145	0,165	0,185	0,205	0,225	0,245	0,265	0,285
Test.	2,90 Kg.	3,70 Kg.	4,10 Kg.	6,30 Kg.	7,40 Kg.	8 Kg.	8,60 Kg.	9,90 Kg.
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 150m.	61.014	—	61.016	—	61.018	—	61.020	—
BOB./Spool 300m.	61.114	—	61.116	—	61.118	—	61.120	—

Ø mm.	0,310	0,330	0,360	0,405	0,460	0,520
Test.	11 Kg.	12,40 Kg.	14 Kg.	18,40 Kg.	20 Kg.	24 Kg.
	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 150m.	61.031	—	61.033	—	61.036	—
BOB./Spool 300m.	61.131	—	61.133	—	61.136	—

COLOR:

Verde Musgo / Moss green.



PRESENTACIONES/PRESENTATIONS:

- BOB./Spool 150m. & 300m.:

Caja colgador individual / Individual hanger box.



PROPIEDADES / PROPERTIES:

ES

- Extrusión molecular.
- Muy baja absorción de agua.
- Excelente resistencia a la abrasión.
- Fluorocarbon cover.
- Bobinado PARALELO.

EN

- Molecular extrusion.
- Very low water absorption.
- Excellent resistance to abrasion.
- Fluorocarbon cover.
- PARALLEL spooling.



SEA-MAX

HI-ABRASION

engineered by
Germany

GOLDEN FISH®
HI-ABRASION
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,16	0,18	0,20	0,22	0,24	0,26	0,28	0,30
Test.	2,55 Kg.	3,40 Kg.	3,90 Kg.	4,60 Kg.	5,20 Kg.	6 Kg.	7 Kg.	7,90 Kg.

	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	33.016	—	33.018	—	33.020	—	33.022	—	33.024	—	33.026	—	33.028	—	33.030	—
BOB./Spool 1000m	33.116	—	33.118	—	33.120	—	33.122	—	33.124	—	33.126	—	33.128	—	33.130	—

Ø mm.	0,35	0,40	0,45	0,50	0,60	0,70	0,80	0,90
Test.	11 Kg.	13 Kg.	16 Kg.	19 Kg.	27 Kg.	33 Kg.	39 Kg.	51 Kg.

	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.		
BOB./Spool 100m.	33.035	—	33.040	—	33.045	—	33.050	—	33.060	—	33.070	—	33.080	—	33.090	—
BOB./Spool 1000m	33.135	—	33.140	(800m.)	33.145	(700m.)	33.150	(600m.)	33.160	—	33.170	—	33.180	—	33.190	—

Ø mm.	1,00
Test.	63 Kg.

	REF.	EUR.
BOB./Spool 100m.	33.100	—
BOB./Spool 1000m	33.200	—

COLOR:

Azul / Blue.



PROPIEDADES / PROPERTIES:

ES

- Construido bajo certificación ISO 9001.
- Resistencia a la abrasión 5 veces superior a un hilo standard.
- NULA memoria gracias a su tratamiento con silicona en el proceso de contracción.
- Excelente resistencia lineal y al nudo.
- Aspecto mate con componente fluorescente: extremadamente suave.

EN

- Built under ISO 9001 certification.
- Abrasion 5 times higher than a standard line.
- ZERO memory thanks to silicone treatment on the contraction process.
- Excellent linear and knot strength.
- Matte appearance with fluorescent component: extremely soft.

PRESENTACIONES/PRESENTATIONS:

• BOB./Spool 100m.:

0,16 a/to 0,50mm: Caja 10 uds./Box 10 units.

• BOB./Spool 1.000m.:

Caja colgador individual / Individual hanger box.



SPEED BILLOW & SPEED BEACH

HI-TECH LINE
made in Japan

GOLDEN FISH®
HI-ABRASION
series
top quality lines



SPEED BILLOW Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,16	0,18	0,20	0,25	0,30	0,35	0,40	0,45	0,50
Test.	3,20 Kg.	4 Kg.	4,80 Kg.	6,90 Kg.	10 Kg.	12 Kg.	16 Kg.	20 Kg.	24 Kg.

	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	19.416	—	19.418	—	19.420	—	19.425	—	19.430	—	19.435	—	19.440	—	19.445	—	19.450	—
BOB./Spool 2x300m	19.516	—	19.518	—	19.520	—	19.525	—	19.530	—	19.535	—	19.540	—	19.545	—	19.550	—
BOB./Spool 3000m.	19.616	—	19.618	—	19.620	—	19.625	—	19.630	—	19.635	—	19.640	—	19.645	—	19.650	—

PRESENT./PRESENTATIONS:

• BOB./Spool 100m.:

Caja 12 unidades / Box 12 units.

• BOB./Spool Pack 2x300m.(600m):

Caja colgador / Hanger box.

• BOB./Spool 3.000m.:

Envase individual./ Individual packing.



PROPIEDADES / PROPERTIES:

ES

- SOLID line "MEMORY FREE" - Aspecto opaco.
- Extraordinaria resistencia lineal.
- Resiste excepcionalmente los Rayos Ultravioletas.
- Aplicaciones principales: Surfcasting y Pesca a la Inglesa.

EN

- SOLID line "Memory Free"- Opaque.
- Extraordinary linear resistance.
- Exceptionally resistant to ultraviolet rays.
- Main applications: Surfcasting and Fishing to English.

SPEED BEACH Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,16	0,18	0,20	0,25	0,30	0,35	0,40	0,45	0,50
Test.	3,20 Kg.	4 Kg.	4,80 Kg.	6,90 Kg.	10 Kg.	12 Kg.	16 Kg.	20 Kg.	24 Kg.

	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 100m.	19.016	—	19.018	—	19.020	—	19.025	—	19.030	—	19.035	—	19.040	—	19.045	—	19.050	—
BOB./Spool 2x300m	19.116	—	19.118	—	19.120	—	19.125	—	19.130	—	19.135	—	19.140	—	19.145	—	19.150	—
BOB./Spool 3000m.	19.216	—	19.218	—	19.220	—	19.225	—	19.230	—	19.235	—	19.240	—	19.245	—	19.250	—



SUMMUM

HARD LINE

HI-TECH LINE
made in Japan

GOLDEN FISH®
HARD-LINE
series
top quality lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,205	0,225	0,245	0,260	0,280	0,300	0,350	0,400	0,450	0,500
Test. Kg.	4,10 Kg.	5 Kg.	5,80 Kg.	6,50 Kg.	7,40 Kg.	8,40 Kg.	10,80 Kg.	14,46 Kg.	17,64 Kg.	21,17 Kg.
Test. Lb.	9 Lb.	11 Lb.	12,75 Lb.	14,25 Lb.	16 Lb.	18,50 Lb.	23,75 Lb.	31,82 Lb.	38,81 Lb.	46,56 Lb.

	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 50m.	37.020	—	37.022	—	37.024	—	37.026	—	37.028	—	37.030	—	37.035	—	37.040	—	37.045	—

Ø mm.	0,600	0,800	1,000
Test. Kg.	29,42 Kg.	45,72 Kg.	64,10 Kg.
Test. Lb.	64,73 Lb.	100,60 Lb.	141,02 Lb.

	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 25m.	37.160	—	37.180	—	37.200	—
MAD./Hank 100m.	37.460	—	37.480	—	37.500	—

PRESENT./PRESENTATIONS:

• BOB./Spool 100m.:

Caja 6 uds./Box 6 units.

• MADEJA/Hank 25m. & 100m.:

Bolsa colgador individual / Individual Hanger bag.

COLOR:

Incoloro natural brillante/
Bright natural colorless.

HARD LINE





Grand Slam

BIG GAME

WORLD CLASS

engineered by
Germany

GOLDEN FISH®
big game lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,60		0,70		0,80		0,90		1,00		1,10		1,20		1,30	
Test. Lb.	50 Lb.		70 Lb.		80 Lb.		115 Lb.		130 Lb.		160 Lb.		180 Lb.		220 Lb.	
Test. Kg.	27 Kg.		35 Kg.		40 Kg.		52 Kg.		60 Kg.		70 Kg.		80 Kg.		100 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 1000m.	9.001	—	9.002	—	9.003	—	9.004	—	9.005	—	9.006	—	9.007	—	9.008	—
MAD./Hank 500m.	x	x	x	x	x	x	x	x	x	x	9.106	—	9.101	—	9.107	—
MAD./Hank 100m.	9.201	—	9.202	—	9.203	—	9.204	—	9.205	—	9.211	—	9.206	—	9.212	—
BOB./Spool 1000m.	9.301	—	9.304	—	9.302	—	9.300	—	9.303	—	9.305	—	9.306	—	9.307	—
BOB./Spool 500m.	9.395	—	9.396	—	9.397	—	9.398	—	9.399	—	9.400	—	9.401	—	9.404	—

Ø mm.	1,40		1,50		1,60		1,80		2,00	
Test. Lb.	240 Lb.		260 Lb.		300 Lb.		360 Lb.		460 Lb.	
Test. Kg.	110 Kg.		120 Kg.		130 Kg.		160 Kg.		200 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 1000m.	9.009	—	x	x	9.010	—	x	x	x	x
MAD./Hank 500m.	9.102	—	9.108	—	9.103	—	9.104	—	9.105	—
MAD./Hank 100m.	9.207	—	9.213	—	9.208	—	9.209	—	9.210	—
BOB./Spool 1000m.	9.308	—	x	x	9.310	—	x	x	x	x
BOB./Spool 500m.	9.402	—	9.405	—	9.403	—	9.406	—	9.407	—

PRESENTACIONES/PRESENTATIONS:

- **MADEJA/ Hank 100m.:**
Bolsa 5 uds./ Bag 5 units.
- **MADEJA/ Hank 500m. & 1.000m.:**
Envase individual / Individual packing.
- **BOB./ Spool 500m. & 1.000m.:**
Envase individual / Individual packing.

PROPIEDADES / PROPERTIES:

ES

- Hilo DICROICO: No transmite la luz solar dentro del agua, gracias a su alta densidad molecular y su color rojo intenso.
- Excepcionalmente suave.
- Posee una flexibilidad extraordinaria.
- Muy polivalente en sus aplicaciones: pesca desde embarcación con todo tipo de aparejo y técnica.

EN

- *DICHOIC line: No transmits sunlight into the water, thanks to its high molecular density and its bright red.*
- *Exceptionally smooth.*
- *It has extraordinary flexibility.*
- *Very versatile in its applications: Fishing boat with all kinds of gear and technique.*

COLOR:

Rojo / Red.



STAR

engineered by
Germany

GOLDEN FISH®
big game lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,45		0,50		0,55		0,60		0,65		0,70		0,80		0,90		1,00	
Test.	11 Kg.		13 Kg.		15 Kg.		17Kg.		21 Kg.		23,5 Kg.		30 Kg.		37 Kg.		44 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 100m.	1.345	—	1.350	—	x	✗	1.360	—	1.365	—	1.370	—	1.380	—	1.390	—	1.400	—
MAD./Hank 500m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
MAD./Hank 1000m.	x	x	1.550	—	1.555	—	1.560	—	1.565	—	1.570	—	1.580	—	1.590	—	1.600	—

Ø mm.	1,10		1,20		1,30		1,40		1,50		1,60		1,70		1,80		1,90	
Test.	53 Kg.		61,50 Kg.		70 Kg.		77,50 Kg.		85 Kg.		94 Kg.		100,50 Kg.		110,10 Kg.		115 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 100m.	1.410	—	1.420	—	1.430	—	1.440	—	1.450	—	1.460	—	1.470	—	1.480	—	1.490	—
MAD./Hank 500m.	1.610	—	1.620	—	1.630	—	1.640	—	1.650	—	1.660	—	1.670	—	1.680	—	1.690	—
MAD./Hank 1000m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Ø mm.	2,00		2,50		3,00	
Test.	130 Kg.		180 Kg.		260 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 100m.	1.500	—	1.510	—	1.520	—
MAD./Hank 500m.	1.700	—	1.710	—	1.720	—
MAD./Hank 1000m.	x	x	x	x	x	x

PROPIEDADES / PROPERTIES:

ES

EN

- Primer escalón dentro de la gama "STAR series" de embarcación.

- Monofilamento de alta calidad.

- Gran variedad de diámetros y colores.

- First step within the range of "STAR series" of boat.

- High quality monofilament.

- Wide variety of sizes and colors.



PROPIEDADES / PROPERTIES:

ES

- Primer escalón dentro de la gama "STAR series" de embarcación.
- Monofilamento de alta calidad.
- Gran variedad de diámetros y colores.

EN

- *First step within the range of "STAR series" of boat.*
- *High quality monofilament.*
- *Wide variety of sizes and colors.*



COLORES / COLORS:

- BL - Blanco Transparente / Transparent white.
- V - Verde mar / Sea Green.
- AZ - Azul / Blue.

PRESENTACIONES/PRESENTATIONS:

- **MADEJA/ Hank 100m.:**
0,45 a/to 1,00mm.: Bolsa 10 uds./Bag 10 units. Unitarias / Unit.
- **MAD./Hank 500m. & 1000m.:**
1,10 a/to 3,00mm.: Bolsa 5 uds./Bag 5 units.



STAR ADVANCE

engineered by
Germany

GOLDEN FISH
STAR
big game lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,50		0,55		0,60		0,65		0,70		0,80		0,90		1,00		1,10	
Test. Kg.	19 Kg.		22 Kg.		26 Kg.		29 Kg.		33 Kg.		40 Kg.		52 Kg.		60 Kg.		71 Kg.	
Test. Lb.	42,2 Lb.		48,4 Lb.		57,8 Lb.		64 Lb.		73,6 Lb.		88,9 Lb.		115,5 Lb.		133,3 Lb.		157,8 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 100m.	7.100	—	7.117	—	7.101	—	7.118	—	7.102	—	7.103	—	7.104	—	7.105	—	7.106	—
MAD./Hank 500m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	7.306	—
MAD./Hank 1000m.	7.300	—	7.317	—	7.301	—	7.318	—	7.302	—	7.303	—	7.304	—	7.305	—	x	—
BOB./Spool 500m.	7.419	—	7.416	—	7.417	—	7.418	—	7.412	—	7.413	—	7.414	—	7.415	—	7.401	—
BOB./Spool 1000m.	7.200	—	7.215	—	7.201	—	7.216	—	7.202	—	7.203	—	7.204	—	7.205	—	7.206	—

Ø mm.	1,20		1,30		1,40		1,50		1,60		1,70		1,80		1,90		2,00	
Test. Kg.	82 Kg.		100 Kg.		110 Kg.		120 Kg.		135 Kg.		145 Kg.		165 Kg.		190 Kg.		210 Kg.	
Test. Lb.	182,2 Lb.		222,2 Lb.		244,4 Lb.		266,6 Lb.		300 Lb.		322,2 Lb.		366,6 Lb.		422,2 Lb.		466,6 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
MAD./Hank 100m.	7.107	—	7.108	—	7.109	—	7.110	—	7.111	—	7.112	—	7.113	—	7.114	—	7.115	—
MAD./Hank 500m.	7.307	—	7.308	—	7.309	—	7.310	—	7.311	—	7.312	—	7.313	—	7.314	—	7.315	—
MAD./Hank 1000m.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
BOB./Spool 500m.	7.402	—	7.403	—	7.404	—	7.405	—	7.406	—	7.407	—	7.408	—	7.409	—	7.410	—
BOB./Spool 1000m.	7.207	—	7.208	—	x	x	x	x	x	x	x	x	x	x	x	x	x	x

Ø mm.	2,20	
Test. Kg.	235 Kg.	
Test. Lb.	522,2 Lb.	
	REF.	EUR.
MAD./Hank 100m.	7.116	—
MAD./Hank 500m.	7.316	—
MAD./Hank 1000m.	x	x
BOB./Spool 500m.	7.411	—
BOB./Spool 1000m.	x	x

COLORES / COLORS:

- BL - Blanco Transparente / Transparent white.
- V - Verde mar / Sea Green.
- AZ - Azul / Blue.
- SAL - Salmón / Salmon.
- GR - Gris / Grey.

PROPIEDADES / PROPERTIES:

ES

- Hilo monofilamento de la gama "STAR series" de excelente calidad.
- Muy dúctil.
- Apariencia brillante especial para pesca en mar.
- Elasticidad propia de los hilos alemanes.
- Buena resistencia a la abrasión.
- Tacto realmente suave.

EN

- Monofilament line "STAR series" of excellent quality.
- Very ductile.
- Bright appearance especially for fishing at sea.
- Elasticity Germans own threads.
- Good resistance to abrasion.
- Really soft touch.

PRESENTACIONES/PRESENTATIONS:

- **MADEJA/ Hank 100m.:**
0,50 a/to 1,00mm.: Bolsa 10 uds./Bag 10 units.
1,10 a/to 2,20mm.: Bolsa 5 uds./Bag 5 units.
- **MADEJA/ Hank 500m. & 1.000m.:**
Unitarias / Unit.
- **BOB./ Spool 500m. & 1.000m.:**
Envase individual / Individual packing.



STAR EXTRA CURRICAN

engineered by
Germany

GOLDEN FISH
STAR
big game lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,60			0,70			0,80			1,00			1,20		
Test.	50 Lb.			60 Lb.			80 Lb.			130 Lb.			180 Lb.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool	14.060	30.000	—	14.070	15.000	—	14.080	15.000	—	14.100	10.000	—	14.120	7.500	—
BOB./Spool	14.360	3.000	—	14.370	3.000	—	14.380	3.000	—	14.400	2.000	—	14.420	1.000	—
BOB./Spool	14.660	1.000	—	14.670	1.000	—	14.680	1.000	—	14.700	1.000	—	14.720	500	—

Ø mm.	1,30		
Test.	220 Lb.		
	REF.	MET.	EUR.
BOB./Spool	14.130	7.500	—
BOB./Spool	14.430	1.000	—
BOB./Spool	14.730	500	—

COLOR:

Gris tenue translúcido / Grey soft translucent.

PRESENT./PRESENTATIONS:

- **BOB./Spool :**
Envase individual / Individual Packing.

PROPIEDADES / PROPERTIES:

ES

- Baja elongación.
- Gran equilibrio Rigidez-Flexibilidad.
- Muy buena textura.
- Gran resistencia.
- Ideal para pesca de altura.
- Excelente relación calidad-precio al presentarse en bobinas de gran capacidad.

EN

- Low elongation.
- Great balance Rigidity-Flexibility.
- Very good texture.
- Great resistance.
- Ideal for sea-fishing.
- Excellent value for money to be in high capacity spools.



GOLDEN FISH
STAR
series

braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines

**BLUE SHARK****I.G.F.A. CLASS TOURNAMENT**engineered by
Germany**IGFA**
series
big game linesDiámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,28			0,42			0,62			0,77			0,87		
Test. Lb.	15 Lb. IGFA			30 Lb. IGFA			50 Lb. IGFA			80 Lb. IGFA			90,86 Lb.		
Test. Kg.	7 Kg.			15 Kg.			24 Kg.			37 Kg.			41,30 Kg.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool	13.015	1.000	—	13.030	1.000	—	13.050	800	—	13.080	500	—	13.090	780	—
BOB./Spool	13.115	3.000	—	x	x	x	13.150	1.000	—	13.180	1.000	—	13.190	1.000	—
MAD/HANK 5x100m	x	x	x	x	x	x	13.250	(5x100)	—	13.280	(5x100)	—	13.290	(5x100)	—

Ø mm.	0,95			1,10			1,70		
Test.	130 Lb. IGFA			154,44 Lb.			301,35 Lb.		
Test.	60 Kg.			70,20 Kg.			136,98 Kg.		
	REF.	MET.	EUR.	REF.	MET.	EUR.	REF.	MET.	EUR.
BOB./Spool	13.130	620	—	x	x	x	x	x	x
BOB./Spool	13.230	1.000	—	13.350	1.000	—	13.430	1.000	—
MAD/HANK 5x100m	13.330	(5x100)	—	13.450	(5x100)	—	13.400	(5x100)	—

PRESENTACIONES/PRESENTATIONS:

- **MADEJA/ Hank 100m.:**
Bolsa 5 uds./ Bag 5 units.
- **BOB./ Spool:**
Envase individual / Individual packing.

COLOR:

Ténue verde-grisáceo/Tenuous green-grey.

PROPIEDADES / PROPERTIES:**ES**

- Hilo monofilamento homologado por reglas IGFA.
- Desarrollado con la más avanzada tecnología de extrusión y bajo las normativas de calidad de la Unión Europea.
- Diámetros y Test fiables y contrastados.
- Elongación controlada: 18-25%.
- Tacto suave y dúctil.
- Buena resistencia a la abrasión.

EN

- Monofilament line homologated for IGFA rules.
- Developed with the most advanced extrusion technology and under quality standards of the European Union.
- Diameters and reliable Test and contrasted.
- Controlled Elongation: 18-25%.
- Soft and ductile.
- Good resistance to abrasion.

**Special Boat
FLUOR****I.G.F.A. CLASS TOURNAMENT**HI-TECH LINE
made in Japan**IGFA**
series
big game linesDiámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,52		0,68		0,86		1,15	
Test.	30 Lb. IGFA		50 Lb. IGFA		80 Lb. IGFA		130 Lb. IGFA	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 1000m.	5.030	—	5.050	—	5.080	—	5.130	—

PROPIEDADES / PROPERTIES:**ES**


- I.G.F.A. Class Tournament Line (alto desarrollo).
- Disposición tecnológica que garantiza no exceder de los requerimientos IGFA.
- Bajo estiramiento.
- Mejor visibilidad.
- Super resistencia a la abrasión.

EN

- I.G.F.A. Class Tournament Line (high development).
- Technological provision that guarantees not exceeding IGFA requirements.
- Low stretch.
- Better visibility.
- Super abrasion resistance.

PRESENTACIONES/PRESENTATIONS:

- **BOB./ Spool 1.000m.:**
Envase individual / Individual packing.

COLOR:Amarillo fluorescente/
Fluorescent yellow.**Special Boat
LIGHT BLUE****I.G.F.A. CLASS TOURNAMENT**HI-TECH LINE
made in Japan**IGFA**
series
big game linesDiámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,52		0,68		0,86		1,15	
Test.	30 Lb. IGFA		50 Lb. IGFA		80 Lb. IGFA		130 Lb. IGFA	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 1000m.	5.030B	—	5.050B	—	5.080B	—	5.130B	—

PROPIEDADES / PROPERTIES:**ES**

- I.G.F.A. Class Tournament Line (alto desarrollo).
- Disposición tecnológica que garantiza no exceder de los requerimientos IGFA.
- Bajo estiramiento.
- Mejor visibilidad.
- Super resistencia a la abrasión.

EN

- I.G.F.A. Class Tournament Line (high development).
- Technological provision that guarantees not exceeding IGFA requirements.
- Low stretch.
- Better visibility.
- Super abrasion resistance.

PRESENTACIONES/PRESENTATIONS:

- **BOB./ Spool 1.000m.:**
Envase individual / Individual packing.

COLOR:Azul luminoso/
Light Blue.



SUPER HIGH TENACITY TOP BIG CATCH



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,430		0,546		0,620		0,702		0,810		0,905		1,040		1,170	
Test.	30 Lb.		50 Lb.		66 Lb.		80,00		109,5 Lb.		130 Lb.		177,5 Lb.		219,4 Lb.	
Test.	IGFA		IGFA		29,90 Kg.		IGFA		49,70 Kg.		IGFA		80,50 Kg.		99,50 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
DISP. 50m.	X	X	X	X	X	X	X	X	X	X	38.090	—	38.104	—	38.117	—
DISP. 100m.	38.143	—	38.154	—	38.162	—	38.170	—	38.181	—	38.190	—	38.204	—	38.217	—
MAD./Hank 100m.	38.243	—	38.254	—	38.262	—	38.270	—	38.281	—	38.290	—	38.304	—	38.317	—
BOB./Spool 1000m.	38.343	—	38.354	—	38.362	—	38.370	—	38.381	—	38.390	—	38.404	—	38.417	—

Ø mm.	1,330		1,470		1,560		1,830		2,040	
Test.	273,8 Lb.		332,8 Lb.		368,2 Lb.		516,1 Lb.		583,2 Lb.	
Test.	124,2 Kg.		151 Kg.		167,10 Kg.		234,20 Kg.		264,60 Kg.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
DISP. 50m.	X	X	X	X	X	X	X	X	X	X
DISP. 100m.	X	X	X	X	X	X	X	X	X	X
MAD./Hank 100m.	38.330	—	38.470	—	38.560	—	38.830	—	39.204	—
BOB./Spool 1000m.	38.430	—	38.570	—	38.660	—	38.930	(500m.)	39.304	(500m.)

PROPIEDADES / PROPERTIES:

ES

- Test de carga de rotura totalmente fiables y garantizados por un estricto control de calidad.
- Máxima resistencia en monofilamento.
- Diámetros exactos ajustados a la milésima.
- Perfecto deslizamiento de superficie gracias a su exclusivo tratamiento electrolítico final.
- Flexible.
- Elongación mínima.
- Totalmente IMPERMEABLE.

EN

- Breaking load test completely reliable and guaranteed by strict quality control.
- High strength monofilament.
- Diameters adjusted exact thousandth.
- Perfect sliding of surface with its unique end electrolytic treatment.
- Flexible.
- Minimum elongation.
- Completely waterproof.

COLOR:

• SMOKE

- * Disponible en BLANCO en los diámetros 1,830 y 2,040mm.
- * WHITE Available in diameters 1.830 and 2.040 mm.



PRESENTACIONES/PRESENTATIONS:

- **DISPENSER 50m. & 100m.:**
Caja colgador individual / Individual hanger box.
- **MADEJA/ Hank 100m.:**
Bolsa colgador individual / Individual hanger bag.
- **BOB./ Spool 1.000m.:**
Envase individual / Individual packing.



SPECIAL LEADER MULTICOLOUR Soft



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	1,40		1,50		1,60		1,70		1,80	
Test. Lb.	240 Lb.		260 Lb.		280 Lb.		300 Lb.		320 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
DISP. 20m.	50.140	—	50.150	—	50.160	—	50.170	—	50.180	—
DISP. 50m.	50.240	—	50.250	—	50.260	—	50.270	(30m.)	50.280	(30m.)

PROPIEDADES / PROPERTIES:

ES

- Especial submarinismo.
- Baja memoria.
- Invisible.

EN

- Special diving.
- Low memory.
- Invisible.

PRESENTACIONES/PRESENTATIONS:

- **DISPENSER 20m. & 50m.:**
Bolsa colgador individual / Individual hanger bag.



COLORES / COLORS:

MULTICOLOR

- | | |
|----------------|------------------|
| verde hoja | leaf green |
| + azul tuquesa | + turquoise blue |
| + granate | + garnet |
| + negro | + black |



SPECIAL LEADER RED Ultra Soft



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	1,40		1,50		1,60		1,80	
Test. Lb.	240 Lb.		260 Lb.		280 Lb.		320 Lb.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
DISP. 20m.	51.140	—	51.150	—	51.160	—	51.180	—
DISP. 50m.	51.240	—	51.250	—	51.260	—	51.280	(30m.)

PROPIEDADES / PROPERTIES:

ES

- Especial submarinismo.
- Baja memoria.
- Invisible.

EN

- Special diving.
- Low memory.
- Invisible.

PRESENTACIONES/PRESENTATIONS:

- **DISPENSER 20m. & 50m.:**
Bolsa colgador individual / Individual hanger bag.

COLOR:

- Rojo / Red.





PROPIEDADES / PROPERTIES:

ES

Colección desarrollada en exclusiva para la pesca en agua dulce formada por los mejores hilos GOLDEN FISH®, presentados en prácticas bobinas de 50 metros con un exclusivo sistema de dispensación.

• Colección formada por los siguientes hilos:

- G.F. Extreme nature SR.
- G.F. Extreme SR.
- G.F. Euroklon Exclusive SR.
- G.F. Fluorocarbon Classic SR.

EN

Collection developed exclusively for fishing in fresh water formed by the best lines GOLDEN FISH®, presented in practices spools of 50 meters with an exclusive dispensing system.

• Collection composed of the following lines:

- G.F. Extreme nature SR.
- G.F. Extreme SR.
- G.F. Euroklon Exclusive SR.
- G.F. Fluorocarbon Classic SR.

Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

EXTREME nature

Ø mm.	0,090	0,110	0,120	0,130	0,145	0,170	0,185	0,210
Test. mínimo	1,15 Kg.	1,60 Kg.	1,80 Kg.	1,95 Kg.	2,60 Kg.	3,30 Kg.	3,90 Kg.	4,75 Kg.
DIFERENCIAL máximo	1,75 Kg.	2,45 Kg.	2,55 Kg.	2,65 Kg.	3,20 Kg.	4,10 Kg.	4,85 Kg.	6,10 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 50 m.	40.509SR —	40.511SR —	40.512SR —	40.513SR —	40.514SR —	40.517SR —	40.518SR —	40.521SR —

EUROKLON exclusive

Ø mm.	0,105	0,125	0,145	0,165	0,185	0,205
Test. mínimo	1,35 Kg.	1,60 Kg.	2,20 Kg.	2,70 Kg.	3,40 Kg.	4,20 Kg.
DIFERENCIAL máximo	1,66 Kg.	2,30 Kg.	2,55 Kg.	3,60 Kg.	4,25 Kg.	5,30 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 50 m.	40.310SR —	40.312SR —	40.314SR —	40.316SR —	40.318SR —	40.320SR —

EXTREME

Ø mm.	0,125	0,145	0,165	0,185	0,205
Test. mínimo	1,70 Kg.	2,35 Kg.	2,75 Kg.	3,60 Kg.	4,30 Kg.
DIFERENCIAL máximo	2,40 Kg.	2,90 Kg.	3,80 Kg.	4,60 Kg.	5,70 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 50 m.	16.125SR —	16.145SR —	16.165SR —	16.185SR —	16.205SR —

FLUOROCARBON classic

Ø mm.	0,115	0,135	0,155	0,175	0,200
Test. mínimo	1,50 Kg.	1,80 Kg.	2,30 Kg.	2,80 Kg.	3,70 Kg.
	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.	REF. EUR.
BOB./Spool 50 m.	30.115SR —	30.115SR —	30.115SR —	30.115SR —	30.115SR —



PRESENTACIONES/PRESENTATIONS:

• BOBINA 50m.: Caja 12 uds.

En la misma caja se pueden incluir bobinas de diferentes diámetros, pero siempre han de ser de la misma calidad: Extreme nature SR, Extreme SR, Euroklon Exclusive SR ó Fluorocarbon classic

• Spool 50m.: Box 12 units.

In the same box you can include spools of different diameters, but must always be of the same quality: Extreme nature SR, Extreme SR, Euroklon Exclusive SR ó Fluorocarbon classic





GOLDEN FISH® KNOTLESS TAPERED LEADER

HI-TECH LINE
made in Japan

SELECTION
freshwater lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

SIZE	Ft.	Ref.	EUR.	TIPPET Ø mm.	TIPPET Ø INCH	TEST Lb.	BUTT Ø mm.	BUTT Ø INCH
7X	9 ft.	7X/9	—	0,10	.004	2 Lb.	0,41	.016
7X	12 ft.	7X/12	—	0,10	.004	2 Lb.	0,41	.016
6X	9 ft.	6X/9	—	0,13	.005	3 Lb.	0,43	.017
6X	12 ft.	6X/12	—	0,13	.005	3 Lb.	0,43	.017
5X	9 ft.	5X/9	—	0,15	.006	4 Lb.	0,50	.020
5X	12 ft.	5X/12	—	0,15	.006	4 Lb.	0,50	.020
4X	9 ft.	4X/9	—	0,18	.007	5 Lb.	0,53	.021
4X	12 ft.	4X/12	—	0,18	.007	5 Lb.	0,53	.021
3X	9 ft.	3X/9	—	0,20	.008	7 Lb.	0,53	.021
3X	12 ft.	3X/12	—	0,20	.008	7 Lb.	0,53	.021
2X	9 ft.	2X/9	—	0,23	.009	9 Lb.	0,57	.023
2X	12 ft.	2X/12	—	0,23	.009	9 Lb.	0,57	.023
0X	9 ft.	0X/9	—	0,28	.011	12 Lb.	0,57	.023
0X	12 ft.	0X/12	—	0,28	.011	12 Lb.	0,57	.023



PROPIEDADES / PROPERTIES:

ES


- Alta resistencia lineal y al nudo.
- Alta resistencia a la abrasión.
- Una flexibilidad perfecta para una muy buena presentación.
- Muy baja memoria.
- Especial para condiciones difíciles: visibilidad baja y un camuflaje perfecto.

EN

- High linear and knot strength.
- High resistance to abrasion.
- A perfect flexibility for a very good presentation.
- Very low memory.
- Special for difficult conditions: low visibility and a perfect camouflage.

PRESENT./PRESENTATIONS:

Sobre colgador individual /
Individual hanger envelope.



unitary
Puentes
de Línea
SOLID



unitary
Puentes
de Línea

HI-TECH LINE
made in Japan

SELECTION
freshwater lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

MAR SURFCASTING / SEA SURFCASTING

Ø mm.	0,16 a/to 0,45		0,18 a/to 0,50		0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 1x15m. SOLID	16.216 S	—	16.218 S	—	16.220 S	—	16.220 S	—
BOB./Spool 1x15m.TRANSP.	16.116 S	—	16.118 S	—	16.120 S	—	16.120 S	—

AGUA DULCE / FRESHWATER

Ø mm.	0,16 a/to 0,45		0,18 a/to 0,50		0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 1x15m. SOLID	16.216 R	—	16.218 R	—	16.220 R	—	16.220 R	—
BOB./Spool 1x15m.TRANSP.	16.116 R	—	16.118 R	—	16.120 R	—	16.120 R	—

AGUA DULCE ESPECIAL / SPECIAL FRESHWATER

Ø mm.	0,16 a/to 0,45		0,18 a/to 0,50		0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 1x15m. SOLID	16.216 RS	—	16.218 RS	—	16.220 RS	—	16.220 RS	—
BOB./Spool 1x15m.TRANSP.	16.116 RS	—	16.118 RS	—	16.120 RS	—	16.120 RS	—

PRESENT./PRESENTATIONS:

- BOB. 50m.: Caja de 12 unidades.
(Cada "Punto" en una bobina indiv.)
- Spool 50m.: Box of 12 units.
(Each "Punto" in a single spool)

PROPIEDADES / PROPERTIES:

ES

Según el acabado, existen tres modalidades:
- MAR SURFCASTING: Punta exterior fina.
- AGUA DULCE: Punta exterior gruesa.
- AGUA DULCE ESPECIAL: Prolongaciones en punta exterior e interior (aprox.10cm.).

EN

According to the finish, there are three types:
- SEA SURFCASTING: thin outer tip.
- FRESHWATER: thick outer tip.
- SPECIAL FRESHWATER: extensions in exterior and interior tip (approximately 10 cm.).



braided lines
fluorocarbon lines
universal lines
top quality lines
big game lines
freshwater lines
tapered lines
sport longline
high capacity lines



Puentes de Línea SOLID

HI-TECH LINE
made in Japan

GOLDEN FROG
SELECTION
tapered lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,16 a/to 0,45		0,18 a/to 0,50		0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 10x15m.	16.216	—	16.218	—	16.220	—	16.223	—

COLOR:

Naranja / Orange.

PROPIEDADES / PROPERTIES:

ES

- Monofilamento cónico.
- Hilo Sólido.
- Muy baja memoria.
- Alta visibilidad.

EN

- Tapered monofilament.
- Solid line.
- Very low memory.
- High visibility.

PRESENT./PRESENTATIONS:

Caja de 10 unidades / Box of 10 units.



Puentes de Línea

HI-TECH LINE
made in Japan

GOLDEN FROG
SELECTION
tapered lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,16 a/to 0,45		0,18 a/to 0,50		0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool 5x15m.	x	x	16.018	—	16.020	—	16.023	—
BOB./Spool 10x15m.	16.116	—	16.118	—	16.120	—	16.123	—

COLOR:

Blanco Transparente/
Transparent White.

PROPIEDADES / PROPERTIES:

ES

- Monofilamento cónico.
- Baja memoria.
- Excelente relación: rigidez/elasticidad/suavidad.

EN

- Tapered monofilament.
- Low memory.
- Excellent relationship: rigidity/elasticity/softness.

PRESENT./PRESENTATIONS:

Caja de 10 unidades / Box of 10 units.



TAPERED SURF-CASTING Line

HI-TECH LINE
made in Japan

GOLDEN FROG
SELECTION
tapered lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,20 a/to 0,57		0,23 a/to 0,57	
	REF.	EUR.	REF.	EUR.
BOB./Spool 220m.	16.420	—	16.423	—

PRESENTACIONES / PRESENTATIONS:

Caja de 10 unidades /
Box of 10 units.


PROPIEDADES / PROPERTIES:

ES

- Monofilamento de última generación con dos terminaciones cónicas.
- Cambio de color cada 25 metros para una correcta determinación en el lance.
- Suave y dúctil.
- Sin bucles y resistente.

EN

- Monofilament generation with two tapered ends.
- Color change every 25 meters for a correct determination in the cast.
- Soft and ductile.
- Without loops and resistant.





BAJOS DE PESCA A FONDO GOLDEN FISH® Terminal of Bottom Fishing

SELECTION
sport longline




Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,80		0,90		1,00		1,10	
DISTANCIA	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
30 cm.	80/30	—	90/30	—	100/30	—	110/30	—
40 cm.	80/40	—	90/40	—	100/40	—	110/40	—
50 cm.	80/50	—	90/50	—	100/50	—	110/50	—
60 cm.	80/60	—	90/60	—	100/60	—	110/60	—
1 m.	80/100	—	90/100	—	100/100	—	110/100	—
1,5 m.	80/150	—	90/150	—	100/150	—	110/150	—
2 m.	80/200	—	90/200	—	100/200	—	110/200	—

COLOR:

Blanco / White.



PRESENT./PRESENTATIONS:

• DISPENSER CON 3 BAJOS:

Cada bajo contiene 6 emerillones y 12 perlas fluorescente.

• DISPENSER WITH 3 TERMINALS:

Each Terminal contains 6 swivels and 12 fluorescent pearls.



PALANGRE deportivo sport LONGLINE

en MADEJA
in HANK

SELECTION
sport longline



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

HILO + NUDOS (Trencilla 8842) + EMERILLONES / LINE + KNOTS (Braid 8842) + SWIVELS.

Ø mm.	0,90		1,00		1,10		1,20		1,30		1,40		1,50		1,60	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.501	—	9.502	—	9.503	—	9.504	—	9.505	—	9.506	—	9.507	—	9.508	—
250m - 100 g./sw.	9.601	—	9.602	—	9.603	—	9.604	—	9.605	—	9.606	—	9.607	—	9.608	—
500m - 50 g./sw.	9.701	—	9.702	—	9.703	—	9.704	—	9.705	—	9.706	—	9.707	—	9.708	—

Ø mm.	1,70		1,80		1,90		2,00	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.509	—	9.510	—	9.511	—	9.512	—
250m - 100 g./sw.	9.609	—	9.610	—	9.611	—	9.612	—
500m - 50 g./sw.	9.709	—	9.710	—	9.711	—	9.712	—

COLORES / COLORS:

- BL - Blanco / White.
- SAL - Salmón / Salmon.
- GR - Gris / Grey.

PRESENT./PRESENTATIONS:

Madeja individual / Individual Hank.

PROPIEDADES / PROPERTIES:

ES

- Confeccionados a máquina.
- Calidad Hilo: G.F. STAR ADVANCE.
- Dos acabados:
 - * Hilo + Nudos (Trencilla 8842) + Emerillones.
 - * Hilo + Nudos (Trencilla 8842) + Tubo (canuto) + Emerillones.

EN

- Made by machine.
- Quality line: G.F. STAR ADVANCE.
- Two finishes:
 - * Line + knots (Braid 8842) + Swivels.
 - * Line + knots (Braid 8842) + tube + Swivels.



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

HILO + NUDOS (Trencilla 8842) + TUBO (canuto) + EMERILLONES / LINE + KNOTS (Braid 8842) + TUBE + SWIVELS.

Ø mm.	0,90		1,00		1,10		1,20		1,30		1,40		1,50		1,60	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.501T	—	9.502T	—	9.503T	—	9.504T	—	9.505T	—	9.506T	—	9.507	—	9.508T	—
250m - 100 g./sw.	9.601T	—	9.602T	—	9.603T	—	9.604T	—	9.605T	—	9.606T	—	9.607	—	9.608T	—
500m - 50 g./sw.	9.701T	—	9.702T	—	9.703T	—	9.704T	—	9.705T	—	9.706T	—	9.707	—	9.708T	—

Ø mm.	1,70		1,80		1,90		2,00	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.509T	—	9.510T	—	9.511T	—	9.512T	—
250m - 100 g./sw.	9.609T	—	9.610T	—	9.611T	—	9.612T	—
500m - 50 g./sw.	9.709T	—	9.710T	—	9.711T	—	9.712T	—



* Para otras medidas, colores o palangres personalizados solicite información y presupuesto.

* For other sizes, colors or custom longlines requested information and budget.



PALANGRE deportivo sport LONGLINE

en BOBINA
in SPOOL

GOLDEN FISH®
SELECTION
sport longline



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

HILO + NUDOS (Trencilla 8842) + EMERILLONES / LINE + KNOTS (Braid 8842) + SWIVELS.

Ø mm.	0,90		1,00		1,10		1,20		1,30		1,40	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.501B	—	9.502B	—	9.503B	—	9.504B	—	9.505B	—	9.506B	—
250m - 100 g./sw.	9.601B	—	9.602B	—	9.603B	—	9.604B	—	9.605B	—	9.606B	—

Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

HILO + NUDOS (Trencilla 8842) + EMERILLONES / LINE + KNOTS (Braid 8842) + SWIVELS.

Ø mm.		1,00		1,10		1,20		1,30		1,40		1,50	
	Distance	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
50m - 100 g./sw.	(50 cm)	100/50B	—	110/50B	—	120/50B	—	130/50B	—	140/50B	—	150/50B	—
50m - 125 g./sw.	(40 cm)	100/40B	—	110/40B	—	120/40B	—	130/40B	—	140/40B	—	150/40B	—
50m - 166 g./sw.	(30 cm)	100/30B	—	110/30B	—	120/30B	—	130/30B	—	140/30B	—	150/30B	—

Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

HILO + NUDOS (Trencilla 8842) + TUBO (canuto) + EMERILLONES / LINE + KNOTS (Braid 8842) + TUBE + SWIVELS.

Ø mm.	0,90		1,00		1,10		1,20		1,30		1,40	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
250m - 50 g./sw.	9.501BT	—	9.502BT	—	9.503BT	—	9.504BT	—	9.505BT	—	9.506BT	—
250m - 100 g./sw.	9.601BT	—	9.602BT	—	9.603BT	—	9.604BT	—	9.605BT	—	9.606BT	—

PRESENT/
PRESENTATIONS:

Bobina individual /
Individual Spool.

PROPIEDADES / PROPERTIES:

ES

- Confeccionados a máquina.
- Calidad Hilo: G.F. STAR ADVANCE.
- Dos acabados:

* Hilo + Nudos (Trencilla 8842) + Emerillones.

* Hilo + Nudos (Trencilla 8842) + Tubo (canuto) + Emerillones.

EN


- Made by machine.
- Hilo Quality: G.F. STAR ADVANCE.
- Two finishes:

* Line + knots (Braid 8842) + Swivels.

* Line + knots (Braid 8842) + tube + Swivels.

COLORES / COLORS:

- BL - Blanco / White.
- SAL - Salmón / Salmon.
- GR - Gris / Grey.



* Para otras medidas, colores o palangres personalizados solicite información y presupuesto.

* For other sizes, colors or custom longlines requested information and budget.



INDUSTRIAL

engineered by
Germany

GOLDEN FISH®
high capacity lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,25		0,30		0,35		0,40		0,45		0,50		0,60		0,70	
Test.	4 Kg.		5,5 Kg.		8 Kg.		10 Kg.		12 Kg.		14 Kg.		17 Kg.		23 Kg.	
METROS / Kg.	18.000 m.		12.500 m.		9.200 m.		7.000 m.		5.500 m.		4.470 m.		3.100 m.		2.250 m.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool Kg.	8.825	—	8.830	—	8.835	—	8.840	—	8.845	—	8.850	—	8.860	—	8.870	—

Ø mm.	0,80		0,90		1,00	
Test.	30 Kg.		36 Kg.		43 Kg.	
METROS / Kg.	1.750 m.		1.400 m.		1.100 m.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool Kg.	8.880	—	8.890	—	8.900	—

COLORES / COLORS:

- BL - Blanco Transp./Transparent White.
- V - Verde Transp./Transparent Green.

PRESENT./PRESENTATIONS:

- BOB./Spool 1 Kg. o/or 2 Kg.:
(Depende de Stock / Depends Stock.)



NEW SPECIAL

engineered by
Germany

GOLDEN FISH®
high capacity lines



Diámetros, Resistencias, Referencias y Precios. *Diameters, Resistance, References and Prices.*

Ø mm.	0,25		0,30		0,35		0,40		0,45		0,50		0,60	
Test.	4,25 Kg.		6 Kg.		8,5 Kg.		11 Kg.		13 Kg.		15 Kg.		18 Kg.	
METROS / Kg.	18.000 m.		12.500 m.		9.200 m.		7.000 m.		5.500 m.		4.470 m.		3.100 m.	
	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.	REF.	EUR.
BOB./Spool Kg.	8.425	—	8.430	—	8.435	—	8.440	—	8.445	—	8.450	—	8.460	—

COLORES / COLORS:

- BL - Blanco Transp./Transparent White.
- V - Verde Transp./Transparent Green.
- GR - Gris Transp./Transparent Grey.

PRESENT./PRESENTATIONS:

- BOB./Spool 1 Kg. o/or 2 Kg.:
(Depende de Stock / Depends Stock.)



fluorocarbon
MIXED
series

GOLDEN FISH®
Premium
series

GOLDEN FISH®
HI-ABRASION
series

FRESH
WATER
SELECTION

GOLDEN FISH®
SPECIAL CAST
series

BIG-GAME
LINES



family
GOLDEN FISH®
20X3

SPORT
LONGLINE
LINES

GOLDEN FISH®
BRAIDED
LINES

EUROKLON
European Quality
series

GOLDEN FISH®
UNIVERSAL
LINES

GOLDEN FISH®
EXTREME
series

STAR
series

GOLDEN FISH®
DYNEEMA
series

TOP
QUALITY
LINES

UNDERWATER

GOLDEN FISH®
HARD-LINES
series



fluorocarbon
COLOR
series

TAPERED
LINES

fluorocarbon
PURE
series

GOLDEN FISH®
**FLUORO
CARBON**
LINES

GOLDEN FISH®
STRONG
series

IGFA
series

www.goldenocana.com



GOLDEN FISH®
facebook
anPAGE

únete a nuestro Facebook, regalos, información exclusiva y mucho más
join our Facebook, gifts, exclusive information and more

Muchas gracias por la confianza depositada en nuestros productos.
Thank you very much for your confidence in our products.



family
GOLDEN FISH®
20X3

Nuestra "GOLDEN FISH® family 20X3" está compuesta por más de 50 clases de hilos agrupadas en 9 categorías según su composición y utilidad. Más de 1.400 referencias en catálogo, adaptando así nuestros productos a todas las necesidades de los pescadores respecto a los hilos de pesca.

Our "GOLDEN FISH® family 20X3" consists of more than 50 types of fishing lines grouped into 9 categories according to their composition and utility. More than 1400 references in catalog, adapting our products to all the needs of fishermen regarding to fishing lines.



www.goldenocana.com



GOLDEN FISH®
facebook
anPAGE



GOLDEN FISH
team

www.goldenocana.com
info@goldenocana.com



GOLDEN FISH®
FISHING LINES

